

## 豊島における環境計測（地下水調査）の結果

浄化処理の進捗に伴う水質の推移を把握するため、地下水の環境計測を実施している。今回、令和2年2月に実施した水質調査結果をとりまとめた。

### 1 調査の概要

#### (1) 調査日

令和2年2月5日(水)

令和2年2月18日(火)

令和2年2月25日(火)

#### (2) 調査地点（調査地点図参照）

観測井 9地点

(A3、B5、C1北、C1南、C3北、C3南、DE1、F1東、F1西)

#### (3) 検体採取機関及び分析機関

採取機関：廃棄物対策課、環境保健研究センター

分析機関：環境保健研究センター

### 2 調査結果の概要（表1～8）

- ・ 9月調査においてC3北及びC3南は、集水井の揚水に伴い水位が低下し、水質検査に必要な水量が確保できず、欠測となった。また、2月調査において、化学処理を実施しているため欠測となった。
- ・ 観測井7地点において、これまでの調査結果と比較して特段の差異は見られなかった。
- ・ それぞれの観測井において、次の項目が環境基準を満足しなかった。
  - A3 : 砒素及びその化合物、クロロエチレン、1,2-ジクロロエタン、トリクロロエチレン
  - B5 : ホウ素及びその化合物、1,4-ジオキサン
  - C1北 : ベンゼン、ホウ素及びその化合物、1,4-ジオキサン
  - C1南 : カドミウム、クロロエチレン、1,2-ジクロロエチレン、トリクロロエチレン、1,4-ジオキサン
  - DE1 : 鉛及びその化合物
  - F1東 : ホウ素及びその化合物、1,4-ジオキサン
  - F1西 : 砒素及びその化合物、ホウ素及びその化合物

表1 地下水調査結果（A3地点の推移）

調査地点	A3																							地下水の 環境基準	検出 下限				
	H15.2.6	H16.2.5	H17.2.7	H18.2.28	H19.2.1	H20.2.13	H21.2.17	H22.2.16	H23.2.9	H23.6.14	H23.8.3	H23.11.22	H24.2.1	H24.5.16	H24.8.1	H24.11.19	H25.2.5	H25.5.22	H25.7.29	H25.11.13	H26.3.17	H26.5.13							
一般項目	pH	7.0	7.1	6.9	7.1	7.0	6.8	7.0	7.2	6.9	6.8	6.7	6.7	6.9	6.6	6.8	6.9	6.9	6.8	6.8	6.6	9.8	11.4	-	-				
	BOD	7.5	12	0.8	4.3	0.7	0.9	ND	1.4	1.0	ND	1.0	1.0	0.8	ND	ND	0.8	1.3	1.3	ND	ND	1.0	ND	-	0.5				
	COD	32	70	17	18	10	21	3.1	3.7	5.7	5.6	3.7	5.1	3.8	7.0	5.0	4.1	3.4	7.9	3.5	4.2	8.4	7.2	-	0.5				
	大腸菌群数	13	33	33	7.8	ND	ND	ND	ND	ND	ND	2	7.8	ND	ND	11	13	ND	350	2	7.8	ND	ND	-	-				
	油分	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.7	1.1	0.6	-	0.5			
健康項目	カドミウム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003 <sup>(注6)</sup>	0.0003			
	全シアン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.1	
	有機燐	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1		
	鉛	ND	0.1	0.015	ND	ND	ND	ND	ND	0.006	ND	0.008	ND	ND	0.008	0.008	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005		
	六価クロム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	0.05		
	砒素	0.56	0.73	0.40	1.1	0.42	0.59	0.31	1.6	1.2	0.26	0.55	0.50	0.70	1.0	0.54	0.27	0.13	0.090	0.21	0.56	0.49	0.26	0.01	0.005				
	総水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	0.0005			
	アルキル水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.0005
	PCB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.0005
	ジクロロメタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002		
	四塩化炭素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0006	ND	0.002	0.0002	
	クロロエチレン <sup>(注8)</sup>	—	—	—	—	—	—	—	—	—	0.0034	0.0063	0.0044	0.0090	0.0040	0.017	0.0023	0.0034	0.0035	0.0032	ND	ND	0.0022	0.002	0.002	0.002			
	1,2-ジクロロエタン	0.21	0.018	0.029	0.018	0.0091	0.0082	0.0053	0.0019	0.0007	0.0066	0.010	0.0060	0.0032	0.0057	0.0079	0.0045	0.0036	0.0033	0.0037	0.0050	0.0020	0.0031	0.004	0.004	0.004			
	1,1-ジクロロエチレン	0.054	0.009	0.011	0.004	0.003	ND	ND	ND	0.005	0.007	0.011	0.004	0.002	0.003	0.002	0.004	ND	ND	0.002	0.002	ND	ND	0.1 <sup>(注4)</sup>	0.002				
	1,2-ジクロロエチレン <sup>(注5)</sup>	1.7	0.32	0.33	0.11	0.071	0.047	0.033	0.022	0.047	0.046	0.032	0.030	0.037	0.021	0.024	0.022	0.019	0.010	0.022	0.015	ND	0.022	0.04	0.004				
	1,1,1-トリクロロエタン	0.21	0.023	0.025	0.011	0.007	0.0036	0.0018	0.0011	0.0072	0.011	0.023	0.0096	0.0029	0.0039	0.0083	0.0025	0.0019	0.0011	0.0055	0.0049	ND	0.0021	1	0.0005				
	1,1,2-トリクロロエタン	ND	0.0007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.0006			
	トリクロロエチレン	0.15	0.010	0.017	0.022	0.019	0.011	0.006	0.007	0.042	0.043	0.066	0.027	0.016	0.021	0.033	0.0026	0.010	0.007	0.020	0.015	0.002	0.016	0.01 <sup>(注7)</sup>	0.001				
	テトラクロロエチレン	0.022	0.011	0.034	0.0027	0.0012	0.0014	ND	0.0006	0.0007	0.0057	0.081	0.014	0.0007	0.0014	0.0013	0.0014	0.0007	ND	0.0006	0.0007	ND	ND	0.01	0.0005				
	1,3-ジクロロプロペン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002			
	チウラム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.001			
	シマジン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.0003			
	チオベンカルブ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002			
	ベンゼン	0.053	0.012	0.012	0.005	0.002	0.002	ND	ND	ND	ND	ND	ND	ND	ND	0.014	ND	ND	ND	0.059	ND	ND	ND	0.01	0.001				
	セレン	ND	ND	0.010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005			
	硝酸性窒素及び亜硝酸性窒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	10			
	フッ素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.0	0.8	0.8			
	鈉素	0.7	0.5	0.4	0.3	0.3	0.2	0.2	0.2	0.5	0.1	0.1	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	ND	0.1	0.3	0.2	1	0.1			
1,4-ジオキサソ	—	—	—	—	—	—	—	—	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	0.005				
その他の項目	全窒素	4	3	1.6	3	1	1	1	5	3	1	1	1	2	4	1	1	1	1	1	1	ND	ND	2	-	1			
	全燐	0.5	ND	0.2	1.0	ND	ND	ND	ND	ND	ND	ND	ND	0.2	ND	0.2	ND	ND	0.1	0.2	ND	ND	ND	-	0.1				
	塩化物イオン	68	39	28	23	37	29	24	28	21	25	31	30	32	20	33	31	33	41	38	40	48	57	-	1				
	電気伝導率	51.3	40	32	29.5	14.6	16.1	16.2	15	16	32.7	30	28	30.8	30.8	32	30	30	32	30	31	32	87	-	0.1				
	ニッケル	ND	0.08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.05			
	モリブデン	ND	ND	0.016	ND	ND	0.008	0.026	0.022	ND	ND	0.028	0.030	0.038	0.022	ND	0.008	0.044	0.016	0.013	0.019	0.12	0.098	-	0.007				
アンチモン	ND	0.002	0.005	0.002	0.002	0.003	ND	ND	ND	ND	ND	ND	0.004	ND	ND	0.001	ND	ND	0.001	ND	0.004	ND	-	0.001					
フタル酸ジエチルヘキシル	ND	ND	ND	ND	ND	0.015	ND	ND	0.046	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.006					

(注1)単位は、pH(-)、大腸菌群数(MPN/100mL)、電気伝導度(mS/m)を除いて、mg/Lである。

(注2)ND：検出せず

(注3)下線は地下水の環境基準を超過しているもの。

(注4)環境省通知に基づき、環境基準を変更した。(平成21年11月調査までの環境基準値は0.02mg/Lである。)

(注5)環境省通知に基づき、システ及びトランス体を合わせて1つの地下水環境基準項目となったため、名称を変更した。(平成22年1月調査までは、システのみ調査を実施した。)

(注6)環境省通知に基づき、環境基準を変更した。(平成23年10月調査までの環境基準値は0.01mg/Lである。)

(注7)環境省通知に基づき、環境基準を変更した。(平成26年11月調査までの環境基準値は0.03mg/Lである。)

(注8)環境省通知に基づき、名称を変更した。(平成29年3月調査までは塩化ビニルモノマーである。)

表1 地下水調査結果（A3地点の推移）

調査地点		A3																						地下水の環境基準	検出下限		
調査年月日		H26.7.29	H26.11.25	H27.2.16	H27.5.19	H27.9.17	H27.11.24	H28.2.9	H28.5.24	H28.7.26	H28.11.8	H29.1.30	H29.5.23	H29.7.26	H29.11.29	H30.2.14	H30.6.26	H30.9.3	H30.10.30	H31.2.27	R1.5.21	R1.8.27	R1.11.19	R2.2.5			
一般項目	pH	7.0	7.0	7.0	6.8	7.5	7.0	6.8	6.7	7.8	7.1	7.5	7.1	6.8	7.2	7.2	6.7	6.8	6.7	7.1	6.7	6.7	6.9	6.8	-	-	
	BOD	ND	1.3	22	0.8	0.6	ND	1.4	0.6	1.8	1.8	0.5	1.4	2.7	2.9	3.0	2.3	1.2	3.6	2.3	1.7	1.7	1.4	ND	-	0.5	
	COD	5.2	6.3	49	11	6.5	5.6	5.7	5.0	6.7	5.1	9.0	7.5	4.3	4.6	5.2	5.0	4.6	5.1	3.5	4.2	4.7	5.8	3.9	-	0.5	
	大腸菌群数	280	11	ND	ND	23	ND	7.8	ND	ND	ND	ND	ND	ND	ND	49	2	ND	6.8	33	ND	ND	1100	23	33	-	-
	油分	ND	0.8	ND	ND	ND	0.8	ND	ND	ND	0.6	0.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.5	-	0.5
健康項目	カドミウム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003 <sup>(注6)</sup>	0.0003
	全シアン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.1
	有機燐	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1
	鉛	ND	ND	ND	ND	ND	ND	ND	0.010	<u>0.014</u>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005
	六価クロム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	0.05
	砒素	<u>0.16</u>	<u>0.22</u>	<u>0.68</u>	<u>29</u>	<u>0.64</u>	<u>0.38</u>	<u>0.45</u>	<u>1.1</u>	<u>7.6</u>	<u>0.20</u>	<u>0.47</u>	<u>3.9</u>	<u>0.38</u>	<u>1.2</u>	<u>2.2</u>	<u>0.12</u>	<u>0.28</u>	<u>0.58</u>	<u>0.093</u>	<u>0.46</u>	<u>0.90</u>	<u>2.1</u>	<u>0.60</u>	0.01	0.005	
	総水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	0.0005
	アルキル水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.0005
	PCB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.0005
	ジクロロメタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002
	四塩化炭素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0018	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002
	クロロエチレン <sup>(注8)</sup>	0.0018	<u>0.012</u>	<u>0.018</u>	<u>0.0059</u>	<u>0.017</u>	<u>0.0061</u>	<u>0.0076</u>	<u>0.0052</u>	<u>0.0054</u>	<u>0.0056</u>	0.0014	<u>0.012</u>	<u>0.0052</u>	<u>0.0045</u>	<u>0.0030</u>	<u>0.0032</u>	<u>0.0032</u>	<u>0.0031</u>	<u>0.0052</u>	<u>0.0032</u>	<u>0.0025</u>	ND	<u>0.0026</u>	0.002	0.0002	
	1,2-ジクロロエタン	0.0010	<u>0.016</u>	<u>0.0072</u>	<u>0.016</u>	<u>0.0062</u>	<u>0.0083</u>	<u>0.0097</u>	<u>0.0094</u>	<u>0.015</u>	<u>0.0070</u>	0.0035	<u>0.0083</u>	<u>0.012</u>	<u>0.0090</u>	<u>0.0064</u>	<u>0.0071</u>	<u>0.0069</u>	<u>0.0065</u>	<u>0.0058</u>	<u>0.0059</u>	<u>0.0053</u>	ND	<u>0.0046</u>	0.004	0.0004	
	1,1-ジクロロエチレン	0.005	ND	0.008	0.010	0.002	0.002	0.006	0.008	0.013	0.004	0.002	0.002	0.010	0.005	0.002	ND	0.004	0.003	0.003	ND	ND	ND	0.002	0.1 <sup>(注4)</sup>	0.002	
	1,2-ジクロロエチレン <sup>(注5)</sup>	<u>0.054</u>	<u>0.12</u>	<u>0.056</u>	<u>0.082</u>	<u>0.046</u>	0.034	0.027	0.029	0.037	0.020	0.011	0.021	0.033	0.021	0.014	ND	0.020	0.017	0.014	0.016	0.011	ND	0.010	0.04	0.004	
	1,1,1-トリクロロエタン	0.016	0.041	0.011	0.029	0.010	0.010	0.017	0.030	0.049	0.014	0.0087	0.011	0.026	0.017	0.0095	ND	0.015	0.013	0.012	0.010	0.0071	ND	0.0088	1	0.0005	
	1,1,2-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.0006
	トリクロロエチレン	<u>0.033</u>	<u>0.098</u>	<u>0.058</u>	<u>0.091</u>	<u>0.062</u>	<u>0.049</u>	<u>0.078</u>	<u>0.10</u>	<u>0.15</u>	<u>0.065</u>	<u>0.039</u>	<u>0.059</u>	<u>0.063</u>	<u>0.066</u>	<u>0.044</u>	<u>0.056</u>	<u>0.070</u>	<u>0.061</u>	ND	<u>0.040</u>	<u>0.031</u>	ND	<u>0.027</u>	0.01 <sup>(注7)</sup>	0.001	
	テトラクロロエチレン	0.0020	0.0053	0.0059	0.0092	0.0015	0.0028	0.0026	0.0034	0.0044	0.0017	0.0007	0.0013	0.0038	0.0023	0.0013	0.0020	0.0023	0.0018	0.0011	0.0020	0.0010	ND	0.0023	0.01	0.0005	
	1,3-ジクロロプロペン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002
	チウラム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.001
	シマジン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.0003
	チオベンカルブ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002
	ベンゼン	ND	ND	0.002	ND	0.008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.001
	セレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005
硝酸性窒素及び亜硝酸性窒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	10	
フッ素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.8	0.8	
ホル素	0.3	0.2	0.3	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	1	0.1	
1,4-ジオキサン	ND	0.005	ND	0.008	0.017	0.005	ND	0.005	0.005	ND	ND	ND	0.009	0.005	ND	0.005	0.005	0.005	0.006	0.005	0.005	ND	ND	0.05	0.005		
その他の項目	全窒素	1	ND	2	2	2	1	1	1	2	2	5	2	1	1	1	1	1	1	1	1	1	ND	ND	1	-	1
	全燐	ND	ND	0.4	0.4	ND	ND	ND	ND	0.9	ND	ND	0.4	0.1	0.1	0.1	ND	ND	ND	1.7	0.4	0.4	0.9	ND	-	0.1	
	塩化物イオン	53	54	50	46	61	49	48	47	50	33	37	70	33	32	32	34	54	52	37	62	30	19	32	-	1	
	電気伝導率	41	50	44	31	53	41	39	38	38	34	40	48	37	44	46	37	26	47	28	22	27	170	48	-	0.1	
	ニッケル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.05
モリブデン	0.023	0.007	0.049	ND	0.009	ND	0.010	ND	ND	ND	ND	0.032	0.014	0.022	0.015	ND	0.012	0.012	0.012	0.016	0.010	0.011	0.013	-	0.007		
アンチモン	ND	ND	0.002	ND	ND	ND	ND	ND	ND	0.001	0.001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.001	
フタル酸ジエチルヘキシル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.006	

(注1)単位は、pH(-)、大腸菌群数(MPN/100mL)、電気伝導度(mS/m)を除いて、mg/Lである。

(注2)ND：検出せず

(注3)下線は地下水の環境基準を超過しているもの。

(注4)環境省通知に基づき、環境基準を変更した。(平成21年11月調査までの環境基準値は0.02mg/Lである。)

(注5)環境省通知に基づき、シス体及びトランス体を合わせて1つの地下水環境基準項目となったため、名称を変更した。(平成22年1月調査までは、シス体のみ調査を実施した。)

(注6)環境省通知に基づき、環境基準を変更した。(平成23年10月調査までの環境基準値は0.01mg/Lである。)

(注7)環境省通知に基づき、環境基準を変更した。(平成26年11月調査までの環境基準値は0.03mg/Lである。)

(注8)環境省通知に基づき、名称を変更した。(平成29年3月調査までは塩化ビニルモノマーである。)

表2 地下水調査結果（B5地点の推移）

調査地点		B5																				地下水の環境基準	検出下限			
調査年月日		H12.12.4	H13.3.6	H17.2.7	H18.2.28	H19.2.1	H20.2.13	H21.2.17	H22.2.16	H23.2.9	H23.6.14	H23.8.3	H23.11.22	H24.2.1	H24.5.16	H24.8.1	H24.11.19	H25.2.5	H25.5.22	H25.7.29	H25.11.13	H26.3.4	H26.5.13			
一般項目	pH	6.3	6.4	6.6	7.1	6.8	6.9	6.7	7.0	6.5	6.8	6.5	6.5	6.6	6.7	6.6	6.7	6.7	6.7	6.6	6.7	6.8	6.6	-	-	
	BOD	120	55	50	44	43	41	36	29	21	33	43	24	27	15	34	13	4.2	12	10	8	16	13	-	0.5	
	COD	530	300	370	300	310	220	240	420	300	223	240	210	260	160	204	186	179	194	228	215	120	200	-	0.5	
	大腸菌群数	3.5×10 <sup>2</sup>	2.4×10 <sup>2</sup>	ND	ND	17	ND	2.0	ND	2.0	ND	23	ND	ND	ND	ND	49	ND	2.0	790	2.0	350	1700	-	-	
	油分	2.9	4.1	8.9	5.6	4.5	5.5	5.2	4.3	6.1	8.2	5.8	5.4	4.6	4.6	5.2	4.2	3.4	7.0	10	8.6	11	7.6	-	0.5	
健康項目	カドミウム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	ND	0.0003	ND	ND	ND	0.003 <sup>(注6)</sup>	0.0003	
	全シアン	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.1	
	有機燐	-	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1	
	鉛	0.018	0.048	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005	
	六価クロム	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	0.05	
	砒素	0.047	0.022	ND	0.008	0.013	0.012	ND	ND	ND	ND	ND	ND	0.005	0.017	ND	0.011	0.007	ND	ND	0.006	ND	0.006	0.01	0.005	
	総水銀	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	0.0005	
	アルキル水銀	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.0005
	PCB	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.0005
	ジクロロメタン	0.085	0.039	0.018	0.006	0.003	0.002	0.003	ND	0.004	0.004	ND	0.004	0.005	0.004	0.003	0.003	0.002	0.002	0.002	0.002	ND	ND	0.007	0.02	0.002
	四塩化炭素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002
	クロロエチレン <sup>(注8)</sup>	-	-	-	-	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002
	1,2-ジクロロエタン	0.0017	0.0014	ND	ND	ND	ND	0.0006	ND	ND	ND	ND	0.0004	0.0005	ND	ND	ND	0.0006	ND	ND	ND	ND	ND	ND	0.004	0.0004
	1,1-ジクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1 <sup>(注4)</sup>	0.002
	1,2-ジクロロエチレン <sup>(注5)</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04	0.004
	1,1,1-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	0.0005
	1,1,2-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0018	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.0006
	トリクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01 <sup>(注7)</sup>	0.001
	テトラクロロエチレン	0.0016	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.0005
	1,3-ジクロロプロパン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002
	チウラム	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.001
	シマジン	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.0003
	チオベンカルブ	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002
	ベンゼン	0.22	0.19	0.042	0.014	0.003	0.002	0.006	0.002	0.025	0.020	0.025	0.020	0.022	0.016	0.015	0.013	0.009	0.010	0.013	0.004	0.010	0.030	0.01	0.001	
	セレン	ND	-	0.011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005
硝酸性窒素及び亜硝酸性窒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.26	1.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	10	
フッ素	ND	ND	4.2	5.0	3.6	3.0	2.0	1.3	ND	2.6	1.5	1.5	1.4	1.3	1.2	1.3	1.2	1.4	1.1	0.9	1.4	1.8	0.8	0.8		
苛性素	2.1	2.6	3.0	3.1	3.1	2.6	3.0	2.5	2.5	2.6	2.6	4.9	2.8	2.6	2.7	2.6	2.5	2.2	2.6	2.7	2.5	2.0	1	0.1		
1,4-ジオキサン	-	-	-	-	-	-	-	-	5.3	5.1	5.6	5.1	5.2	3.5	4.5	4.1	3.5	3.5	4.1	3.1	3.3	3.6	0.05	0.005		
その他の項目	全窒素	14	14	12	10	37	30	31	45	8	9	38	34	28	34	24	17	17	15	18	4	ND	12	-	1	
	全燐	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1	
	塩化物イオン	2,300	1,840	2,000	1,520	1,550	1,330	1,470	1,400	1,400	1,400	1,480	1,390	1,330	1,180	1,120	1,080	944	943	1,020	690	704	901	-	1	
	電気伝導率	635	462	694	542	478	314	274	280	560	502	517	523	502	432	467	399	413	400	354	339	320	403	-	0.1	
	ニッケル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.06	ND	ND	ND	ND	ND	ND	ND	-	0.05
	モリブデン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	0.009	ND	-	0.007	
アンチモン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.001	
フタル酸ジエチルヘキシル	ND	0.020	ND	ND	ND	ND	0.010	0.010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.006	

(注1)単位は、pH(-)、大腸菌群数(MPN/100mL)、電気伝導率(mS/m)を除いて、mg/Lである。

(注2)ND：検出せず

(注3)下線は地下水の環境基準を超過しているもの。

(注4)環境省通知に基づき、環境基準を変更した。(平成21年11月調査までの環境基準値は0.02mg/Lである。)

(注5)環境省通知に基づき、シス体及びトランス体を合わせて1つの地下水環境基準項目となったため、名称を変更した。(平成22年1月調査までは、シス体のみ調査を実施した。)

(注6)環境省通知に基づき、環境基準を変更した。(平成23年10月調査までの環境基準値は0.01mg/Lである。)

(注7)環境省通知に基づき、環境基準を変更した。(平成26年11月調査までの環境基準値は0.03mg/Lである。)

(注8)環境省通知に基づき、名称を変更した。(平成29年3月調査までは塩化ビニルモノマーである。)

表2 地下水調査結果 (B 5地点の推移)

調査地点		B 5																						地下水の環境基準	検出下限	
調査年月日		H26.7.29	H26.11.25	H27.2.16	H27.5.19	H27.7.27	H28.2.9	H28.5.24	H28.7.26	H28.11.8	H29.1.31	H29.5.23	H29.7.26	H29.11.29	H30.2.13	H30.6.26	H30.9.3	H30.10.30	H31.2.27	R1.5.21	R1.8.27	R1.11.19	R2.2.5			
一般項目	pH	6.7	6.6	6.9	6.4	6.6	6.8	6.8	6.9	6.8	7.0	6.6	6.6	6.8	6.7	6.8	6.8	6.8	6.7	6.8	6.8	6.6	6.0	6.9	-	-
	BOD	3.2	6.2	17	12	23	24	20	14	8.9	22	16	17	6	5.8	6.4	7.1	11	21	7.8	15	2.7	21	-	0.5	
	COD	100	130	100	110	58	65	67	69	74	92	77	60	57	61	72	64	75	66	62	62	5.6	66	-	0.5	
	大腸菌群数	33	49	59	170	ND	ND	ND	4.0	11	ND	ND	4.5	ND	ND	790	22	23	ND	ND	1700	ND	4.5	-	-	
	油分	6.2	8.9	4.7	5.9	3.1	4.0	5.7	4.4	4.9	5.8	3.8	4.6	2.9	1.8	3.4	3.5	5.4	3.0	4.9	3.2	3.4	3.7	-	0.5	
健康項目	カドミウム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0009	ND	0.003 <sup>(注6)</sup>	0.0003	
	全シアン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.1	
	有機燐	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1	
	鉛	ND	0.006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	0.01	0.005	
	六価クロム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	0.05	
	砒素	ND	ND	ND	0.009	ND	ND	0.007	0.006	0.006	ND	0.008	0.011	0.009	0.013	0.011	0.007	0.011	0.008	0.009	0.014	0.042	0.008	0.01	0.005	
	総水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	0.0005	
	アルキル水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.0005	
	PCB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.0005	
	ジクロロメタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.035	ND	0.02	0.002
	四塩化炭素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002	
	クロロエチレン <sup>(注8)</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002	
	1,2-ジクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0018	ND	ND	ND	ND	ND	ND	ND	0.004	0.0004	
	1,1-ジクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1 <sup>(注4)</sup>	0.002	
	1,2-ジクロロエチレン <sup>(注5)</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04	0.004	
	1,1,1-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	0.0005	
	1,1,2-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0007	ND	ND	ND	ND	ND	ND	ND	0.006	0.0006	
	トリクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.013	ND	ND	ND	ND	0.01 <sup>(注7)</sup>	0.001	
	テトラクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.0005	
	1,3-ジクロロプロパン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002	
	チウラム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.001	
	シマジン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.0003	
チオベンカルブ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002		
ベンゼン	0.014	0.018	0.007	0.014	0.006	0.007	0.008	0.008	0.008	0.005	0.006	0.008	0.006	0.003	0.004	0.004	0.002	ND	0.003	0.006	0.004	0.003	0.01	0.001		
セレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005		
硝酸性窒素及び亜硝酸性窒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	10		
フッ素	0.8	0.8	ND	ND	ND	ND	ND	ND	ND	ND	0.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.8	0.8		
鈉素	2.3	2.0	2.0	1.9	1.2	1.5	1.7	1.6	1.7	1.8	1.7	1.6	1.7	1.6	1.5	1.4	1.5	1.6	1.6	1.6	1.6	1.6	1	0.1		
1,4-ジオキサソ	2.3	2.3	1.6	2.4	0.85	1.0	1.2	1.5	1.4	1.1	1.3	2.3	1.4	0.84	1.1	0.96	1.3	0.80	0.41	0.86	0.88	0.94	0.05	0.005		
その他の項目	全窒素	3	8	3	3	5	4	3	4	4	3	4	3	3	3	3	2	3	3	3	4	5	3	-	1	
	全燐	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1	
	塩化物イオン	603	967	585	773	330	390	447	430	425	457	460	340	350	340	340	300	370	350	370	270	330	290	-	1	
	電気伝導率	272	336	249	264	195	197	194	183	210	203	190	170	201	180	140	140	180	170	170	82	330	83	-	0.1	
	ニッケル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.05	
	モリブデン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.007	
アンチモン	ND	ND	ND	0.002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.001		
フタル酸ジエチルヘキシル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.006		

(注1)単位は、pH(-)、大腸菌群数(MPN/100mL)、電気伝導度(mS/m)を除いて、mg/Lである。

(注2)ND: 検出せず

(注3)下線は地下水の環境基準を超過しているもの。

(注4)環境省通知に基づき、環境基準を変更した。(平成21年11月調査までの環境基準値は0.02mg/Lである。)

(注5)環境省通知に基づき、シス体及びトランス体を合わせて1つの地下水環境基準項目となったため、名称を変更した。(平成22年1月調査までは、シス体のみ調査を実施した。)

(注6)環境省通知に基づき、環境基準を変更した。(平成23年10月調査までの環境基準値は0.01mg/Lである。)

(注7)環境省通知に基づき、環境基準を変更した。(平成26年11月調査までの環境基準値は0.03mg/Lである。)

(注8)環境省通知に基づき、名称を変更した。(平成29年3月調査までは塩化ビニルモノマーである。)

表3 地下水調査結果（F1西地点の推移）

調査地点		F1西																					地下水の環境基準	検出下限		
調査年月日		H15.2.6	H16.2.5	H17.2.7	H18.2.28	H19.2.1	H20.2.13	H21.2.17	H22.2.16	H23.2.9	H23.6.14	H23.8.3	H23.11.22	H24.2.1	H24.5.16	H24.8.1	H24.11.19	H25.2.5	H25.5.22	H25.7.22	H25.11.13	H26.2.17	H26.5.13			
一般項目	pH	7.0	7.0	7.0	6.9	7.3	6.9	7.2	7.7	6.8	6.9	6.9	7.2	6.9	6.8	6.8	7.1	7.1	6.7	6.7	7.1	6.9	7.1	-	-	
	BOD	3.9	6.6	1.0	2.7	0.5	1.6	1.7	1.1	0.9	ND	ND	0.7	0.6	ND	ND	ND	2.1	1.7	0.5	0.6	ND	ND	-	0.5	
	COD	5.4	7.9	1.7	2.4	2.4	2.7	2.3	0.9	1.8	2.8	1.9	1.9	1.9	2.0	3.0	2.2	0.9	7.8	6.1	1.7	5.0	2.6	-	0.5	
	大腸菌群数	22	4.5	2.0	22	33	3.7	7.8	2.0	ND	13	22	540	7.8	11	11	70	ND	69	33	ND	7.8	ND	-	-	
	油分	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.5	ND	-	0.5
健康項目	カドミウム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0004	0.003 <sup>(注6)</sup>	0.0003	
	全シアン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1	
	有機燐	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1
	鉛	0.024	ND	0.007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005	
	六価クロム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	0.05	
	砒素	0.016	0.016	ND	0.013	ND	0.010	ND	0.008	ND	ND	ND	ND	ND	0.007	0.012	0.008	ND	ND	0.008	ND	0.016	0.009	0.01	0.005	
	総水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	0.0005	
	アルキル水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005
	PCB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005
	ジクロロメタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002
	四塩化炭素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002
	クロロエチレン <sup>(注8)</sup>	—	—	—	—	—	—	—	—	—	ND	ND	ND	ND	ND	0.0013	ND	ND	ND	ND	ND	ND	ND	0.0006	0.002	0.0002
	1,2-ジクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.004	0.0004
	1,1-ジクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1 <sup>(注4)</sup>	0.002
	1,2-ジクロロエチレン <sup>(注5)</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04	0.004
	1,1,1-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	0.0005
	1,1,2-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.0006
	トリクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	ND	ND	ND	ND	ND	ND	ND	0.011	0.01 <sup>(注7)</sup>	0.001
	テトラクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.0005
	1,3-ジクロロプロパン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002
	チウラム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.001
	シマジン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.0003
	チオベンカルブ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002
	ベンゼン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.010	ND	ND	ND	0.001	ND	0.010	0.012	0.01	0.001	
	セレン	ND	ND	0.010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005
	硝酸性窒素及び亜硝酸性窒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	10
	フッ素	ND	ND	ND	0.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.8	0.8
	鈉素	0.6	0.6	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.9	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.5	0.3	0.4	1	0.1
1,4-ジオキサン	—	—	—	—	—	—	—	—	—	ND	0.008	ND	ND	0.006	ND	0.010	0.010	0.010	0.020	0.023	ND	0.017	0.027	0.05	0.005	
その他の項目	全窒素	1	4	ND	ND	1	ND	ND	ND	ND	ND	1.6	1.2	1.2	4	ND	ND	ND	ND	ND	ND	ND	ND	-	1	
	全燐	ND	ND	ND	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1	
	塩化物イオン	230	230	220	216	223	274	241	250	270	360	248	252	285	331	342	328	338	436	426	280	314	309	-	1	
	電気伝導率	98.6	94	94.6	90	83.7	53.4	47.3	49	110	136	102	109	115	130	133	118	133	168	176	100	127	117	-	0.1	
	ニッケル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.05
	モリブデン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.007
	アンチモン	ND	0.001	0.001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.001
フタル酸ジエチルヘキシル	ND	ND	0.033	0.030	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.006	

(注1)単位は、pH(-)、大腸菌群数(MPN/100mL)、電気伝導度(mS/m)を除いて、mg/Lである。

(注2)ND: 検出せず

(注3)下線は地下水の環境基準を超過しているもの。

(注4)環境省通知に基づき、環境基準を変更した。(平成21年11月調査までの環境基準値は0.02mg/Lである。)

(注5)環境省通知に基づき、シス体及びトランス体を合わせて1つの地下水環境基準項目となったため、名称を変更した。(平成22年1月調査までは、シス体のみ調査を実施した。)

(注6)環境省通知に基づき、環境基準を変更した。(平成23年10月調査までの環境基準値は0.01mg/Lである。)

(注7)環境省通知に基づき、環境基準を変更した。(平成26年11月調査までの環境基準値は0.03mg/Lである。)

(注8)環境省通知に基づき、名称を変更した。(平成29年3月調査までは塩化ビニルモノマーである。)

表3 地下水調査結果（F1西地点の推移）

調査地点		F1西																						地下水の環境基準	検出下限	
調査年月日		H26.7.22	H26.11.25	H27.2.16	H27.5.19	H27.7.27	H27.11.24	H28.2.9	H28.5.24	H28.7.26	H28.11.8	H29.1.31	H29.5.23	H29.7.26	H29.11.29	H30.2.13	H30.6.26	H30.9.3	H30.10.30	H31.3.13	R1.5.21	R1.9.3	R1.11.19	R2.2.18		
一般項目	pH	6.7	6.7	6.7	6.4	6.7	6.8	6.8	6.7	6.6	6.7	6.9	6.7	6.6	6.8	6.8	6.7	6.6	6.9	6.9	6.7	6.5	7.0	7.0	-	-
	BOD	ND	0.6	1.3	ND	0.7	ND	1.3	0.8	0.8	1.4	1.8	4.9	7.7	3.6	6.4	4.2	4.9	3.9	4.5	4.7	5.2	8.3	2.8	-	0.5
	COD	8.0	10	5.8	6.9	6.4	7.2	6.5	7.4	6.3	7.4	7.7	8.8	7.2	6.0	8.5	8.2	7.1	5.8	7.8	9.2	9.2	15	10	-	0.5
	大腸菌群数	ND	7.8	ND	ND	2.0	7.8	2.0	13	79	ND	ND	ND	ND	ND	ND	490	4.5	ND	ND	79	490	49	ND	-	1
	油分	ND	0.5	ND	ND	ND	1.2	ND	0.7	ND	0.9	ND	1.5	ND	ND	ND	ND	0.6	ND	0.5	0.5	ND	ND	0.7	-	0.5
健康項目	カドミウム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003 <sup>(注6)</sup>	0.0003
	全シアン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.1
	有機燐	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1
	鉛	ND	ND	ND	ND	ND	ND	0.012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005
	六価クロム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	0.05
	砒素	0.019	0.011	0.011	0.020	0.024	0.030	0.039	0.038	0.030	0.033	0.045	0.048	0.040	0.034	0.046	0.043	0.036	0.034	0.052	0.054	0.049	0.065	0.049	0.01	0.005
	総水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	0.0005
	アルキル水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.0005
	PCB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.0005
	ジクロロメタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002
	四塩化炭素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002
	クロロエチレン <sup>(注8)</sup>	0.0003	ND	ND	0.0005	ND	ND	0.0006	ND	ND	ND	0.0002	0.0002	0.0002	ND	ND	ND	ND	ND	ND	ND	0.0002	ND	ND	0.002	0.0002
	1,2-ジクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.004	0.0004
	1,1-ジクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1 <sup>(注4)</sup>	0.002
	1,2-ジクロロエチレン <sup>(注5)</sup>	0.006	ND	0.011	0.019	ND	ND	0.012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04	0.004
	1,1,1-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	0.0005
	1,1,2-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.0006
	トリクロロエチレン	0.033	0.006	0.031	0.021	0.002	ND	0.009	ND	0.003	ND	0.003	0.001	0.001	ND	0.003	ND	0.002	0.002	ND	ND	ND	ND	0.001	0.01 <sup>(注7)</sup>	0.001
	テトラクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.0005
	1,3-ジクロロプロペン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002
	チウラム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.001
	シマジン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.0003
	チオベンカルブ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002
	ベンゼン	0.007	0.006	0.012	0.015	0.001	0.001	0.012	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001	0.001	ND	ND	ND	ND	ND	0.01	0.001
	セレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005
	硝酸性窒素及び亜硝酸性窒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	10
フッ素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.8	0.8	
ホル素	0.5	0.3	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.4	0.4	0.5	0.4	0.4	0.7	0.8	0.9	1.2	1	0.1	
1,4-ジオキサン	0.045	0.025	0.026	0.039	0.027	0.025	0.019	0.029	0.026	0.033	0.028	0.034	0.053	0.023	0.025	0.035	0.026	0.038	0.026	0.028	0.028	0.024	0.022	0.05	0.005	
その他の項目	全窒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	1	1	2	-	1
	全燐	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1	ND	0.1	0.1	-	0.1
	塩化物イオン	539	456	522	545	554	539	496	555	498	588	584	660	540	440	540	530	480	420	450	480	440	420	470	-	1
	電気伝導率	207	174	193	197	204	202	191	205	181	220	208	200	194	188	198	190	95	170	140	81	86	170	93	-	0.1
	ニッケル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.05
	モリブデン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.007
	アンチモン	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.001
フタル酸ジエチルヘキシル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.006	

(注1)単位は、pH(-)、大腸菌群数(MPN/100mL)、電気伝導度(mS/m)を除いて、mg/Lである。

(注2)ND：検出せず

(注3)下線は地下水の環境基準を超過しているもの。

(注4)環境省通知に基づき、環境基準を変更した。(平成21年11月調査までの環境基準値は0.02mg/Lである。)

(注5)環境省通知に基づき、シス体及びトランス体を合わせて1つの地下水環境基準項目となったため、名称を変更した。(平成22年1月調査までは、シス体のみ調査を実施した。)

(注6)環境省通知に基づき、環境基準を変更した。(平成23年10月調査までの環境基準値は0.01mg/Lである。)

(注7)環境省通知に基づき、環境基準を変更した。(平成26年11月調査までの環境基準値は0.03mg/Lである。)

(注8)環境省通知に基づき、名称を変更した。(平成29年3月調査までは塩化ビニルモノマーである。)

表4 地下水調査結果

調査地点		F 1 東														地下水の 環境基準	検出 下限
調査年月日		H25. 7. 22	H26. 2. 17	H26. 7. 22	H27. 2. 17	H27. 7. 27	H28. 2. 1	H28. 7. 25	H29. 1. 31	H29. 8. 9	H30. 2. 13	H30. 8. 29	H31. 3. 13	R1. 8. 27	R2. 2. 5		
一般項目	pH	6.2	6.3	6.3	6.4	6.2	6.4	6.3	6.5	6.4	6.7	6.3	6.2	6.4	6.4	-	-
	BOD	9.3	10	3.7	14	7.1	16	13	10	5.4	3.3	6.7	3.9	13	7.3	-	0.5
	COD	136	96	72	73	77	65	71	67	71	65	89	72	52	62	-	0.5
	大腸菌群数	ND	ND	ND	ND	2	ND	49	ND	4.5	ND	14	ND	3500	2.0	-	-
	油分	4.4	2.3	1.6	2.2	2.3	4.3	4.1	2.0	2.6	0.6	4.4	5.1	3.5	5.1	-	0.5
健康項目	カドミウム	0.0011	0.0008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.0003
	全シアン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.1
	有機燐	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1
	鉛	ND	ND	ND	0.009	ND	ND	ND	ND	ND	ND	ND	0.007	ND	ND	0.01	0.005
	六価クロム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	0.05
	砒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005
	総水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	0.0005
	アルキル水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.0005
	PCB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.0005
	ジクロロメタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002
	四塩化炭素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002
	クロロエチレン(注5)	0.0017	<u>0.0045</u>	<u>0.0039</u>	<u>0.0041</u>	<u>0.0026</u>	<u>0.0027</u>	<u>0.0027</u>	<u>0.0036</u>	<u>0.0028</u>	<u>0.0028</u>	<u>0.0028</u>	0.0020	<u>0.0034</u>	0.0015	0.002	0.0002
	1,2-ジクロロエタン	0.0009	0.0009	0.0015	0.0009	0.0009	0.0008	0.0010	0.0008	0.0011	ND	ND	ND	0.0004	0.0011	0.004	0.0004
	1,1-ジクロロエチレン	ND	ND	0.002	ND	0.002	0.006	0.002	ND	0.002	ND	0.002	0.003	ND	0.003	0.1	0.002
	1,2-ジクロロエチレン	ND	ND	0.016	0.011	ND	ND	ND	ND	0.004	ND	ND	ND	ND	ND	0.04	0.004
	1,1,1-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	0.0005
	1,1,2-トリクロロエタン	ND	ND	0.0022	ND	ND	ND	ND	ND	0.0020	ND	ND	0.0018	ND	ND	0.006	0.0006
	トリクロロエチレン	0.002	ND	<u>0.064</u>	<u>0.022</u>	0.002	0.008	0.007	0.002	<u>0.019</u>	<u>0.011</u>	0.001	0.002	ND	0.003	0.01(注4)	0.002
	テトラクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.0005
	1,3-ジクロロプロペン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002
	チウラム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.001
	シマジン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.0003
	チオベンカルブ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002
	ベンゼン	<u>0.017</u>	<u>0.051</u>	<u>0.020</u>	<u>0.016</u>	<u>0.011</u>	<u>0.061</u>	<u>0.011</u>	0.008	<u>0.014</u>	0.007	0.008	0.009	0.005	0.008	0.01	0.001
	セレン	ND	ND	ND	<u>0.016</u>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005
	硝酸性窒素及び亜硝酸性窒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	10
	フッ素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.8	0.8
	ホル素	<u>9.4</u>	<u>6.5</u>	<u>6.6</u>	<u>6.3</u>	<u>6.9</u>	<u>6.4</u>	<u>6.5</u>	<u>6.1</u>	<u>6.2</u>	<u>5.7</u>	<u>6.0</u>	<u>6.0</u>	<u>5.9</u>	<u>5.6</u>	1	0.1
1,4-ジオキサン	<u>0.72</u>	<u>0.71</u>	<u>0.75</u>	<u>0.66</u>	<u>0.58</u>	<u>0.33</u>	<u>0.66</u>	<u>0.56</u>	<u>0.68</u>	<u>0.35</u>	<u>0.54</u>	<u>0.49</u>	<u>0.44</u>	<u>0.49</u>	0.05	0.005	
その他の項目	全窒素	4	5	5	4	3	4	4	4	4	4	4	3	3	6	-	1
	全燐	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1	ND	-	0.1
	塩化物イオン	1230	1270	1310	1310	1300	1320	1350	1370	1310	1200	1300	1400	1400	1600	-	1
	電気伝導率	524	524	537	545	542	544	514	560	503	534	560	280	280	320	-	0.1
	ニッケル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.05
	モリブデン	ND	0.007	0.017	0.028	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.007
	アンチモン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.001
フタル酸ジエチルヘキシル	ND	0.007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.006	

(注1)単位は、pH(-)、大腸菌群数(MPN/100mL)、電気伝導率(mS/m)を除いて、mg/Lである。

(注2)ND：検出せず

(注3)下線は地下水の環境基準を超過しているもの。

(注4)環境省通知に基づき、環境基準を変更した。(平成26年11月調査までの環境基準値は0.03mg/Lである。)

(注5)環境省通知に基づき、名称を変更した。(平成29年3月調査までは塩化ビニルモノマーである。)



表5 地下水調査結果

調査地点		C 1 北														地下水の 環境基準	検出 下限		
調査年月日	H25. 7. 24	H26. 2. 18	H26. 7. 22	H27. 2. 25	H27. 7. 21	H28. 2. 1	H28. 7. 25	H29. 1. 30	H29. 8. 9	H30. 2. 13	H30. 8. 29	H31. 3. 6	R1. 8. 20	R2. 2. 18					
一般項目	pH	6.9	6.7	6.9	6.9	6.9	7.0	6.9	7.0	7.0	7.0	6.9	6.8	6.9	7.1	-	-		
	BOD	6.6	4.7	13	4.5	12	27	32	12	21	5.2	8.3	5.8	14	13	-	0.5		
	COD	160	130	130	130	130	130	150	150	140	120	110	110	110	100	-	0.5		
	大腸菌群数	ND	ND	ND	ND	13	ND	ND	ND	790	ND	6.8	ND	79	4.0	-	-		
	油分	1.5	2.4	1.8	1.8	1.7	2.4	2.3	2.3	2.2	1.6	8.2	8.2	3.2	3.1	-	0.5		
健康項目	カドミウム	0.0012	0.0008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.0003		
	全シアン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.1
	有機燐	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1
	鉛	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	ND	0.01	0.005		
	六価クロム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	0.05		
	砒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005		
	総水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	0.0005		
	アルキル水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.0005
	PCB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.0005
	ジクロロメタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002		
	四塩化炭素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002		
	クロロエチレン(注5)	0.0003	ND	0.0003	<u>0.0045</u>	0.0002	ND	ND	0.0002	0.0002	0.0002	ND	ND	ND	ND	0.002	0.0002		
	1,2-ジクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.004	0.0004		
	1,1-ジクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1	0.002		
	1,2-ジクロロエチレン	ND	0.004	0.005	<u>0.095</u>	ND	0.005	ND	ND	ND	ND	ND	ND	ND	ND	0.04	0.004		
	1,1,1-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	0.0005		
	1,1,2-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.0006		
	トリクロロエチレン	ND	0.009	<u>0.017</u>	<u>0.093</u>	0.001	0.003	ND	ND	ND	0.002	ND	ND	ND	0.001	0.01(注4)	0.002		
	テトラクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.0005		
	1,3-ジクロロプロペン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002		
	チウラム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.001		
	シマジン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.0003		
	チオベンカルブ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002		
	ベンゼン	<u>0.099</u>	<u>0.10</u>	<u>0.085</u>	<u>0.14</u>	<u>0.11</u>	<u>0.10</u>	<u>0.14</u>	<u>0.12</u>	<u>0.18</u>	<u>0.12</u>	<u>0.14</u>	<u>0.12</u>	<u>0.10</u>	<u>0.087</u>	0.01	0.001		
	セレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005		
	硝酸性窒素及び亜硝酸性窒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	10		
	フッ素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.8	0.8		
ホル素	<u>7.2</u>	<u>6.5</u>	<u>7.3</u>	<u>7.1</u>	<u>7.6</u>	<u>8.4</u>	<u>7.8</u>	<u>8.1</u>	<u>7.9</u>	<u>7.7</u>	<u>7.6</u>	<u>7.4</u>	<u>6.6</u>	<u>6.6</u>	1	0.1			
1,4-ジオキサン	<u>0.73</u>	<u>0.99</u>	<u>0.78</u>	<u>0.69</u>	<u>0.60</u>	<u>0.44</u>	<u>0.78</u>	<u>0.51</u>	<u>0.65</u>	<u>0.52</u>	<u>0.62</u>	<u>0.48</u>	<u>0.51</u>	<u>0.60</u>	0.05	0.005			
その他の項目	全窒素	23	18	11	12	14	12	12	13	40	41	39	38	36	40	-	1		
	全燐	0.3	0.2	0.3	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	-	0.1		
	塩化物イオン	1850	1880	1690	1630	1640	1650	1580	1430	1310	1500	1200	1300	1200	1500	-	1		
	電気伝導率	727	719	714	677	664	670	625	617	552	648	540	550	290	320	-	0.1		
	ニッケル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.06	ND	-	0.05		
	モリブデン	ND	ND	ND	ND	0.007	ND	ND	ND	ND	ND	ND	ND	0.011	ND	-	0.007		
	アンチモン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.001		
フタル酸ジエチルヘキシル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.006			

(注1)単位は、pH(-)、大腸菌群数(MPN/100mL)、電気伝導率(mS/m)を除いて、mg/Lである。

(注2)ND：検出せず

(注3)下線は地下水の環境基準を超過しているもの。

(注4)環境省通知に基づき、環境基準を変更した。(平成26年11月調査までの環境基準値は0.03mg/Lである。)

(注5)環境省通知に基づき、名称を変更した。(平成29年3月調査までは塩化ビニルモノマーである。)

表6 地下水調査結果

調査地点		C 1 南														地下水の 環境基準	検出 下限
調査年月日	H25. 7. 24	H26. 2. 18	H26. 7. 22	H27. 2. 25	H27. 7. 21	H28. 2. 1	H28. 7. 25	H29. 1. 30	H29. 8. 9	H30. 2. 13	H30. 8. 29	H31. 3. 6	R1. 8. 20	R2. 2. 18			
一般項目	pH	5.5	5.2	4.7	5.5	5.4	5.6	5.7	5.6	5.7	6.4	5.6	5.6	5.5	5.8	-	-
	BOD	ND	ND	ND	ND	ND	1.0	ND	ND	1.9	ND	2	1.1	ND	0.6	-	0.5
	COD	7.1	7.7	5.8	5.5	5.1	4.3	4.3	4.1	4.1	6.0	3.5	2.9	4.2	3.2	-	0.5
	大腸菌群数	ND	ND	ND	ND	ND	ND	5.5	ND	7.8	ND	79	ND	33	ND	-	-
	油分	ND	0.7	ND	ND	ND	1.2	0.5	ND	ND	0.6	1.0	ND	ND	0.5	-	0.5
健康項目	カドミウム	0.0011	0.0009	0.0028	0.0007	0.0012	0.0010	0.0004	0.0015	0.0017	0.0010	0.0037	0.0014	<u>0.0051</u>	<u>0.0065</u>	0.003	0.0003
	全シアン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.1
	有機燐	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1
	鉛	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.010	ND	ND	ND	0.01	0.005
	六価クロム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	0.05
	砒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005
	総水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	0.0005
	アルキル水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.0005
	PCB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.0005
	ジクロロメタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002
	四塩化炭素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002
	クロロエチレン <sup>(注5)</sup>	ND	<u>0.010</u>	<u>0.0036</u>	<u>0.011</u>	0.0013	<u>0.0091</u>	<u>0.015</u>	<u>0.012</u>	<u>0.016</u>	<u>0.0027</u>	<u>0.012</u>	0.0008	<u>0.0067</u>	<u>0.0056</u>	0.002	0.0002
	1,2-ジクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.004	0.0004
	1,1-ジクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1	0.002
	1,2-ジクロロエチレン	<u>0.088</u>	<u>0.088</u>	<u>0.041</u>	<u>0.12</u>	<u>0.086</u>	<u>0.076</u>	<u>0.11</u>	<u>0.080</u>	<u>0.11</u>	0.023	<u>0.11</u>	0.028	<u>0.060</u>	<u>0.041</u>	0.04	0.004
	1,1,1-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	0.0005
	1,1,2-トリクロロエタン	0.0015	0.0007	0.0009	0.0009	0.0007	0.0006	0.0010	0.0007	0.0011	ND	0.0015	ND	0.0006	ND	0.006	0.0006
	トリクロロエチレン	<u>0.25</u>	<u>0.28</u>	<u>0.13</u>	<u>0.33</u>	<u>0.30</u>	<u>0.24</u>	<u>0.37</u>	<u>0.26</u>	<u>0.40</u>	<u>0.084</u>	<u>0.35</u>	<u>0.079</u>	<u>0.24</u>	<u>0.21</u>	0.01 <sup>(注4)</sup>	0.002
	テトラクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.0005
	1,3-ジクロロプロパン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002
	チウラム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.001
	シマジン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.0003
	チオペンカルブ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002
	ベンゼン	<u>0.023</u>	<u>0.024</u>	<u>0.019</u>	<u>0.049</u>	<u>0.022</u>	<u>0.022</u>	<u>0.032</u>	<u>0.014</u>	<u>0.022</u>	0.010	<u>0.030</u>	<u>0.012</u>	<u>0.023</u>	0.008	0.01	0.001
	セレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005
	硝酸性窒素及び亜硝酸性窒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	10
フッ素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.8	0.8	
ホウ素	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.3	1	0.1
1,4-ジオキサン	<u>0.13</u>	<u>0.20</u>	<u>0.13</u>	<u>0.16</u>	<u>0.16</u>	<u>0.12</u>	<u>0.24</u>	<u>0.14</u>	<u>0.20</u>	<u>0.083</u>	<u>0.20</u>	<u>0.068</u>	<u>0.098</u>	<u>0.066</u>	0.05	0.005	
その他の項目	全窒素	ND	ND	ND	ND	ND	ND	ND	1	ND	1	1	1	ND	ND	-	1
	全燐	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1
	塩化物イオン	4890	5340	5350	5320	5250	5220	5320	5200	5040	4100	5100	4800	5800	6100	-	1
	電気伝導率	1360	1440	1460	1510	1400	1390	1270	1430	1260	1170	1400	1200	800	860	-	0.1
	ニッケル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.05
	モリブデン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.007
	アンチモン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.001
フタル酸ジエチルヘキシル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.006	

(注1)単位は、pH(-)、大腸菌群数(MPN/100mL)、電気伝導率(mS/m)を除いて、mg/Lである。

(注2)ND：検出せず

(注3)下線は地下水の環境基準を超過しているもの。

(注4)環境省通知に基づき、環境基準を変更した。(平成26年11月調査までの環境基準値は0.03mg/Lである。)

(注5)環境省通知に基づき、名称を変更した。(平成29年3月調査までは塩化ビニルモノマーである。)

表7 地下水調査結果

調査地点		C3北												地下水の環境基準	検出下限		
調査年月日		H25.7.24	H26.2.19	H26.7.7	H27.2.18	H27.8.3	H28.2.2	H28.8.1	H29.2.7	H29.7.31	H30.2.7	H30.8.27	H31.2.26	R1.9.3	R2.2.5		
一般項目	pH	6.6	6.6	6.7	6.6	6.5	6.8	6.4	6.7	6.5	6.4	6.5	6.7			-	-
	BOD	12	18	5.0	3.0	1.7	4.2	0.7	3.4	2.2	3.3	3.0	13			-	0.5
	COD	210	140	110	67	67	19	23	22	35	36	28	46			-	0.5
	大腸菌群数	2.0	31	2.0	11	ND	ND	ND	ND	ND	ND	22	ND			-	-
	油分	7.6	10	3.8	4.1	2.4	3.5	1.6	2.2	2.9	1.1	2.2	3.0			-	0.5
健康項目	カドミウム	0.0004	0.0004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.003	0.0003
	全シアン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			検出されないこと	0.1
	有機燐	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			-	0.1
	鉛	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.01	0.005
	六価クロム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.05	0.05
	砒素	ND	0.006	ND	ND	0.015	ND	0.006	ND	0.010	0.017	ND	0.020			0.01	0.005
	総水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.0005	0.0005
	アルキル水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			検出されないこと	0.0005
	PCB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			検出されないこと	0.0005
	ジクロロメタン	ND	ND	0.002	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.02	0.002
	四塩化炭素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.002	0.0002
	クロロエチレン(注5)	0.035	0.0008	0.0089	0.0017	0.0010	0.0079	0.0011	0.0045	0.0017	0.0017	0.0009	0.0004			0.002	0.0002
	1,2-ジクロロエタン	0.0014	ND	0.0005	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.004	0.0004
	1,1-ジクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.1	0.002
	1,2-ジクロロエチレン	0.033	ND	0.009	0.007	ND	0.009	ND	ND	ND	ND	ND	ND			0.04	0.004
	1,1,1-トリクロロエタン	ND	0.011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			1	0.0005
	1,1,2-トリクロロエタン	ND	ND	0.0006	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.006	0.0006
	トリクロロエチレン	0.025	ND	0.065	0.022	ND	0.002	0.002	0.008	0.002	ND	ND	0.002			0.01(注4)	0.002
	テトラクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.01	0.0005
	1,3-ジクロロプロパン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.002	0.0002
	チウラム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.006	0.001
	シマジン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.003	0.0003
	チオベンカルブ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.02	0.002
	ベンゼン	9.2	0.26	0.33	0.032	0.017	0.15	0.008	0.069	0.045	0.006	0.018	0.020			0.01	0.001
	セレン	ND	0.006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.01	0.005
	硝酸性窒素及び亜硝酸性窒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			10	10
フッ素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.8	0.8	
ホル素	3.0	1.4	2.0	2.5	2.4	0.3	0.8	0.8	1.2	1.9	0.2	2.2			1	0.1	
1,4-ジオキサン	1.3	0.48	2.7	0.72	0.30	0.036	0.057	0.27	0.30	0.17	0.018	0.52			0.05	0.005	
その他の項目	全窒素	11	7	19	27	35	8	15	12	24	10	6	18			-	1
	全燐	ND	0.4	0.1	0.2	0.2	0.3	0.3	0.3	0.3	0.4	0.2	0.5			-	0.1
	塩化物イオン	322	295	343	240	187	40	64	165	160	170	16	260			-	1
	電気伝導率	590	330	377	273	237	43.4	116	118	169	163	32	190			-	0.1
	ニッケル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			-	0.05
	モリブデン	ND	ND	0.009	0.011	ND	ND	ND	ND	ND	ND	ND	ND			-	0.007
	アンチモン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			-	0.001
	フタル酸ジエチルヘキシル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			-	0.006

環境計測に必要な量を採水できなかったため欠測

化学処理実施中のため欠測

(注1)単位は、pH(-)、大腸菌群数(MPN/100mL)、電気伝導率(mS/m)を除いて、mg/Lである。

(注2)ND：検出せず

(注3)下線は地下水の環境基準を超過しているもの。

(注4)環境省通知に基づき、環境基準を変更した。(平成26年11月調査までの環境基準値は0.03mg/Lである。)

(注5)環境省通知に基づき、名称を変更した。(平成29年3月調査までは塩化ビニルモノマーである。)

表8 地下水調査結果

調査地点		C3南													地下水の 環境基準	検出 下限	
調査年月日		H25.7.24	H26.2.19	H26.7.7	H27.2.18	H27.8.3	H28.2.2	H28.8.1	H29.2.7	H29.7.31	H30.2.7	H30.8.27	H31.2.26	R1.9.3	R2.2.5		
一般項目	pH	6.3	6.1	6.1	6.2	6.2	6.1	6.1	6.1	6.1	6.1	6.2	6.4			-	-
	BOD	11	9.3	1.0	1.4	1.3	8.8	2.9	3.2	2.1	7.0	4.9	7.9			-	0.5
	COD	84	68	36	39	38	40	34	30	19	22	45	39			-	0.5
	大腸菌群数	4.5	ND	ND	4.5	ND	2.0	ND	ND	ND	ND	ND	ND			-	-
	油分	4.0	4.3	2.6	2.6	2.3	3.7	2.4	1.8	2	1.9	3.5	3.3			-	0.5
健康項目	カドミウム	0.0008	0.0004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.003	0.0003
	全シアン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			検出されないこと	0.1
	有機燐	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			-	0.1
	鉛	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.01	0.005
	六価クロム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.05	0.05
	砒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.01	0.005
	総水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.0005	0.0005
	アルキル水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			検出されないこと	0.0005
	PCB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			検出されないこと	0.0005
	ジクロロメタン	0.002	0.002	0.002	ND	ND	ND	ND	ND	ND	ND	0.003	ND			0.02	0.002
	四塩化炭素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.002	0.0002
	クロロエチレン <sup>(注5)</sup>	0.12	0.15	0.24	0.035	0.043	0.020	0.035	0.032	0.059	0.031	0.022	0.0081			0.002	0.0002
	1,2-ジクロロエタン	0.0024	0.0030	0.0042	ND	0.0031	0.0025	0.0035	ND	0.0021	0.0021	0.0052	0.0038			0.004	0.0004
	1,1-ジクロロエチレン	ND	0.002	ND	ND	ND	ND	ND	ND	0.003	ND	ND	ND			0.1	0.002
	1,2-ジクロロエチレン	0.67	0.65	0.23	0.12	0.10	0.090	0.12	0.099	0.34	0.088	0.064	0.037			0.04	0.004
	1,1,1-トリクロロエタン	ND	0.0007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			1	0.0005
	1,1,2-トリクロロエタン	0.0024	0.0023	0.0022	ND	0.0012	0.0010	0.0014	0.0011	0.0018	0.0013	0.0026	ND			0.006	0.0006
	トリクロロエチレン	0.46	0.54	0.37	0.32	0.26	0.28	0.45	0.30	0.51	0.26	0.22	0.17			0.01 <sup>(注4)</sup>	0.002
	テトラクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.01	0.0005
	1,3-ジクロロプロペン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.002	0.0002
	チウラム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.006	0.001
	シマジン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.003	0.0003
	チオベンカルブ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.02	0.002
	ベンゼン	0.56	0.13	0.021	0.018	0.009	0.013	0.008	0.003	0.008	0.002	0.018	0.008			0.01	0.001
	セレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.01	0.005
	硝酸性窒素及び亜硝酸性窒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			10	10
	フッ素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			0.8	0.8
ホル素	2.9	2.4	2.0	2.5	2.1	2.1	1.7	1.2	1.1	1.2	3.1	2.9			1	0.1	
1,4-ジオキサン	1.3	1.1	1.3	0.65	0.62	0.43	0.55	0.32	0.44	0.40	0.78	0.48			0.05	0.005	
その他の項目	全窒素	9	6	6	4	3	4	3	3	3	3	4			-	1	
	全燐	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			-	0.1	
	塩化物イオン	1260	1440	1670	1670	1770	1760	1770	1860	1800	1700	1000	1300			-	1
	電気伝導率	506	536	597	586	584	581	546	607	594	589	370	490			-	0.1
	ニッケル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			-	0.05
	モリブデン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			-	0.007
	アンチモン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			-	0.001
フタル酸ジエチルヘキシル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			-	0.006	

環境計測に必要な量を採水できなかったため欠測

化学処理実施中のため欠測

(注1)単位は、pH(-)、大腸菌群数(MPN/100mL)、電気伝導率(mS/m)を除いて、mg/Lである。

(注2)ND：検出せず

(注3)下線は地下水の環境基準を超過しているもの。

(注4)環境省通知に基づき、環境基準を変更した。(平成26年11月調査までの環境基準値は0.03mg/Lである。)

(注5)環境省通知に基づき、名称を変更した。(平成29年3月調査までは塩化ビニルモノマーである。)

表9 地下水調査結果

調査地点		D E 1														地下水の 環境基準	検出 下限
調査年月日		H25. 7. 22	H26. 2. 19	H26. 7. 22	H27. 2. 17	H27. 7. 28	H28. 2. 2	H28. 7. 25	H29. 1. 30	H29. 8. 9	H30. 2. 7	H30. 8. 29	H31. 3. 6	R1. 8. 20	R2. 2. 25		
一般項目	pH	5.9	6.1	6.3	6.3	5.9	6.0	5.8	6.3	5.9	5.9	6.3	5.7	5.8	6.4	-	-
	BOD	ND	ND	ND	ND	ND	ND	0.6	ND	1.6	1.3	3.6	0.6	ND	1.8	-	0.5
	COD	2.5	4.3	4.8	2.8	2.3	1.5	2.5	4.3	1.8	1.7	9.0	1.8	1.4	4.8	-	0.5
	大腸菌群数	ND	ND	22	ND	12	ND	2.0	ND	ND	ND	ND	ND	33	11	-	-
	油分	ND	ND	ND	ND	ND	0.7	ND	ND	ND	ND	ND	0.9	ND	ND	-	0.5
健康項目	カドミウム	0.0026	<u>0.044</u>	<u>0.022</u>	0.0004	<u>0.0036</u>	0.0021	0.0011	ND	0.0030	<u>0.0041</u>	0.0026	ND	0.0029	0.0010	0.003	0.0003
	全シアン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.1
	有機燐	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1
	鉛	0.005	<u>0.084</u>	ND	ND	0.006	ND	ND	ND	ND	ND	ND	ND	ND	<u>0.023</u>	0.01	0.005
	六価クロム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	0.05
	砒素	ND	0.009	0.008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005
	総水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	0.0005
	アルキル水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.0005
	PCB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.0005
	ジクロロメタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002
	四塩化炭素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002
	クロロエチレン <sup>(注5)</sup>	ND	ND	0.0004	0.0006	ND	ND	0.0002	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002
	1,2-ジクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.004	0.0004
	1,1-ジクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1	0.002
	1,2-ジクロロエチレン	ND	ND	0.012	0.027	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04	0.004
	1,1,1-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	0.0005
	1,1,2-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.0006
	トリクロロエチレン	ND	ND	<u>0.056</u>	<u>0.041</u>	ND	0.003	<u>0.011</u>	0.004	ND	ND	ND	0.004	<u>0.011</u>	ND	0.01 <sup>(注4)</sup>	0.002
	テトラクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.0005
	1,3-ジクロロプロペン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002
	チウラム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.001
	シマジン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.0003
	チオベンカルブ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002
	ベンゼン	0.003	0.007	<u>0.014</u>	<u>0.023</u>	0.007	<u>0.013</u>	0.002	0.001	ND	ND	0.001	0.002	0.004	ND	0.01	0.001
	セレン	ND	0.006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005
	硝酸性窒素及び亜硝酸性窒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	10
	フッ素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.8	0.8
ホル素	0.8	0.6	0.9	0.9	0.7	0.8	0.7	0.8	0.7	0.7	1.0	0.8	0.9	0.8	1	0.1	
1,4-ジオキサン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	0.05	0.005	
その他の項目	全窒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	1
	全燐	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1
	塩化物イオン	9650	10200	9830	10000	9660	9590	9820	9750	9270	9300	7400	9500	9600	7500	-	1
	電気伝導率	2650	2580	2560	2700	2300	2570	2170	2610	2490	2460	1000	2500	1300	1100	-	0.1
	ニッケル	ND	ND	0.05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.05
	モリブデン	0.008	0.008	ND	0.011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.007
	アンチモン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.001
フタル酸ジエチルヘキシル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.006	

(注1)単位は、pH(-)、大腸菌群数(MPN/100mL)、電気伝導率(mS/m)を除いて、mg/Lである。

(注2)ND：検出せず

(注3)下線は地下水の環境基準を超過しているもの。

(注4)環境省通知に基づき、環境基準を変更した。(平成26年11月調査までの環境基準値は0.03mg/Lである。)

(注5)環境省通知に基づき、名称を変更した。(平成29年3月調査までは塩化ビニルモノマーである。)




図 豊島における環境計測（地下水調査）調査地点