

## 豊島における環境計測（地下水調査）等の結果

浄化処理の進捗に伴う水質の推移を把握するため、地下水の環境計測等を実施している。今回、令和3年8月に実施した水質調査結果をとりまとめた。

### 1 調査の概要

#### (1) 調査日

令和3年8月4日（水）

#### (2) 調査地点（調査地点図参照）

観測井3地点（A3、B5、F1西）

#### (3) 検体採取機関及び分析機関

採取機関：環境保健研究センター

分析機関：環境保健研究センター

### 2 調査結果の概要（表1～8）

- ・観測井3地点全てにおいて、これまでの調査結果と比較して特段の差異は見られなかった。
- ・それぞれの観測井において、次の項目が環境基準を満足しなかった。

B5：ほう素、1,4-ジオキサン

F1西：砒素、クロロエチレン、ほう素、1,4-ジオキサン




図 豊島における環境計測（地下水調査）調査地点

表1 地下水調査結果（A3地点の推移）

調査地点		A3																									地下水の環境基準	検出下限		
調査年月日	H15.2.6	H16.2.5	H17.2.7	H18.2.28	H19.2.1	H20.2.13	H21.2.17	H22.2.16	H23.2.9	H23.6.14	H23.8.3	H23.11.22	H24.2.1	H24.5.16	H24.8.1	H24.11.19	H25.2.5	H25.5.22	H25.7.29	H25.11.13	H26.3.17	H26.5.13	H26.7.29	H26.11.25	H27.2.16					
一般項目	pH	7.0	7.1	6.9	7.1	7.0	6.8	7.0	7.2	6.9	6.8	6.7	6.7	6.9	6.6	6.8	6.9	6.9	6.8	6.8	6.6	9.8	11.4	7.0	7.0	7.0	-	-		
	BOD	7.5	12	0.8	4.3	0.7	0.9	ND	1.4	1.0	ND	1.0	1.0	0.8	ND	ND	0.8	1.3	1.3	ND	ND	1.0	ND	ND	1.3	22	-	0.5		
	COD	32	70	17	18	10	21	3.1	3.7	5.7	5.6	3.7	5.1	3.8	7.0	5.0	4.1	3.4	7.9	3.5	4.2	8.4	7.2	5.2	6.3	49	-	0.5		
	大腸菌群数	13	33	33	7.8	ND	ND	ND	ND	ND	ND	2	7.8	ND	ND	11	13	ND	350	2	7.8	ND	ND	280	11	ND	-	-		
	油分	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.7	1.1	0.6	ND	0.8	ND	-	0.5		
健康項目	カドミウム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003 <sup>(注6)</sup>	0.0003		
	全シアン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.1	
	有機燐	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1	
	鉛	ND	0.1	0.015	ND	ND	ND	ND	ND	0.006	ND	0.008	ND	ND	0.008	0.008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005	
	六価クロム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	0.05	
	砒素	0.56	0.73	0.40	1.1	0.42	0.59	0.31	1.6	1.2	0.26	0.55	0.50	0.70	1.0	0.54	0.27	0.13	0.090	0.21	0.56	0.49	0.26	0.16	0.22	0.68	0.01	0.005		
	総水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	0.0005	
	アルキル水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.0005	
	PCB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.0005	
	ジクロロメタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002
	四塩化炭素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0006	ND	ND	ND	ND	ND	0.002	0.0002	
	クロロエチレン <sup>(注8)</sup>	—	—	—	—	—	—	—	—	—	0.0034	0.0063	0.0044	0.0090	0.0040	0.017	0.0023	0.0034	0.0035	0.0032	ND	ND	0.0022	0.0018	0.012	0.018	0.002	0.0002		
	1,2-ジクロロエタン	0.21	0.018	0.029	0.018	0.0091	0.0082	0.0053	0.0019	0.0007	0.0066	0.010	0.0060	0.0032	0.0057	0.0079	0.0045	0.0036	0.0033	0.0037	0.0050	0.0020	0.0031	0.0010	0.016	0.0072	0.004	0.0004		
	1,1-ジクロロエチレン	0.054	0.009	0.011	0.004	0.003	ND	ND	ND	0.005	0.007	0.011	0.004	0.002	0.003	0.002	0.004	ND	ND	0.002	0.002	ND	ND	0.005	ND	0.008	0.1 <sup>(注4)</sup>	0.002		
	1,2-ジクロロエチレン <sup>(注5)</sup>	1.7	0.32	0.33	0.11	0.071	0.047	0.033	0.022	0.047	0.046	0.032	0.030	0.037	0.021	0.024	0.022	0.019	0.010	0.022	0.015	ND	0.022	0.054	0.12	0.056	0.04	0.004		
	1,1,1-トリクロロエタン	0.21	0.023	0.025	0.011	0.007	0.0036	0.0018	0.0011	0.0072	0.011	0.023	0.0096	0.0029	0.0039	0.0083	0.0025	0.0019	0.0011	0.0055	0.0049	ND	0.0021	0.016	0.041	0.011	1	0.0005		
	1,1,2-トリクロロエタン	ND	0.0007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.0006	
	トリクロロエチレン	0.15	0.010	0.017	0.022	0.019	0.011	0.006	0.007	0.042	0.043	0.066	0.027	0.016	0.021	0.033	0.0026	0.010	0.007	0.020	0.015	0.002	0.016	0.033	0.098	0.058	0.01 <sup>(注7)</sup>	0.001		
	テトラクロロエチレン	0.022	0.011	0.034	0.0027	0.0012	0.0014	ND	0.0006	0.0007	0.0057	0.081	0.014	0.0007	0.0014	0.0013	0.0014	0.0007	ND	0.0006	0.0007	ND	ND	0.0020	0.0053	0.0059	0.01	0.0005		
	1,3-ジクロロプロペン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002	
	チウラム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.001	
	シマジン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.0003	
	チオベンカルブ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002	
	ベンゼン	0.053	0.012	0.012	0.005	0.002	0.002	ND	ND	ND	ND	ND	ND	ND	ND	0.014	ND	ND	ND	0.059	ND	ND	ND	ND	ND	ND	0.002	0.01	0.001	
	セレン	ND	ND	0.010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005	
	硝酸性窒素及び亜硝酸性窒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	10	
フッ素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.0	ND	ND	ND	ND	ND	0.8	0.8		
ホウ素	0.7	0.5	0.4	0.3	0.3	0.2	0.2	0.2	0.5	0.1	0.1	0.3	0.2	0.2	0.2	0.2	0.2	0.2	ND	0.1	0.3	0.2	0.3	0.2	0.3	1	0.1			
1,4-ジオキサン	—	—	—	—	—	—	—	—	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	ND	0.05	0.005			
その他の項目	全窒素	4	3	1.6	3	1	1	1	5	3	1	1	1	2	4	1	1	1	1	1	ND	ND	2	1	ND	2	-	1		
	全燐	0.5	ND	0.2	1.0	ND	ND	ND	ND	ND	ND	ND	0.2	ND	0.2	ND	ND	0.1	0.2	ND	ND	ND	ND	ND	ND	0.4	-	0.1		
	塩化物イオン	68	39	28	23	37	29	24	28	21	25	31	30	32	20	33	31	33	41	38	40	48	57	53	54	50	-	1		
	電気伝導率	51.3	40	32	29.5	14.6	16.1	16.2	15	16	32.7	30	28	30.8	30.8	32	30	30	32	30	31	32	87	41	50	44	-	0.1		
	ニッケル	ND	0.08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.05	
	モリブデン	ND	ND	0.016	ND	ND	0.008	0.026	0.022	ND	ND	0.028	0.030	0.038	0.022	ND	0.008	0.044	0.016	0.013	0.019	0.12	0.098	0.023	0.007	0.049	-	0.007		
アンチモン	ND	0.002	0.005	0.002	0.002	0.003	ND	ND	ND	ND	ND	ND	0.004	ND	ND	0.001	ND	ND	0.001	ND	0.004	ND	ND	ND	0.002	-	0.001			
フタル酸ジエチルヘキシル	ND	ND	ND	ND	ND	0.015	ND	ND	0.046	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.006		

(注1)単位は、pH(-)、大腸菌群数(MPN/100mL)、電気伝導度(mS/m)を除いて、mg/Lである。報告下限値未満の未満の数値は、NDと表記する。

(注2)有効数字は2桁とし、3桁目以下を切り捨て、報告下限値の桁を下回る桁については切り捨てる。なお、pHは小数点第2位以下を切り捨て、小数点以下1桁までとする。

(注3)下線は地下水の環境基準を超過しているもの。

(注4)環境省通知に基づき、環境基準を変更した。(平成21年11月調査までの環境基準値は0.02mg/Lである。)

(注5)環境省通知に基づき、シス体及びトランス体を合わせて1つの地下水環境基準項目となったため、名称を変更した。(平成22年1月調査までは、シス体のみ調査を実施した。)

(注6)環境省通知に基づき、環境基準を変更した。(平成23年10月調査までの環境基準値は0.01mg/Lである。)

(注7)環境省通知に基づき、環境基準を変更した。(平成26年11月調査までの環境基準値は0.03mg/Lである。)

(注8)環境省通知に基づき、名称を変更した。(平成29年3月調査までは塩化ビニルモノマーである。)

表1 地下水調査結果（A3地点の推移）

調査地点		A3																						地下水の環境基準	検出下限		
調査年月日	H27.5.19	H27.9.17	H27.11.24	H28.2.9	H28.5.24	H28.7.26	H28.11.8	H29.1.30	H29.5.23	H29.7.26	H29.11.29	H30.2.14	H30.6.26	H30.9.3	H30.10.30	H31.2.27	R1.5.21	R1.8.27	R1.11.19	R2.2.5	R2.8.5	R3.2.10	R3.8.4				
一般項目	pH	6.8	7.5	7.0	6.8	6.7	7.8	7.1	7.5	7.1	6.8	7.2	7.2	6.7	6.8	6.7	7.1	6.7	6.7	6.9	6.8	7.3	7.7	7.6	-	-	
	BOD	0.8	0.6	ND	1.4	0.6	1.8	1.8	0.5	1.4	2.7	2.9	3.0	2.3	1.2	3.6	2.3	1.7	1.7	1.4	ND	1.1	1.5	2.0	-	0.5	
	COD	11	6.5	5.6	5.7	5.0	6.7	5.1	9.0	7.5	4.3	4.6	5.2	5.0	4.6	5.1	3.5	4.2	4.7	5.8	3.9	4.1	3.5	2.9	-	0.5	
	大腸菌群数	ND	23	ND	7.8	ND	ND	ND	ND	ND	ND	49	2	ND	6.8	33	ND	ND	1100	23	33	-	-	-	-	-	
	油分	ND	ND	0.8	ND	ND	ND	0.6	0.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.5	ND	ND	ND	-	0.5	
健康項目	カドミウム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003 <sup>(注6)</sup>	0.0003		
	全シアン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	検出されないこと	0.1		
	有機燐	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	0.1		
	鉛	ND	ND	ND	ND	0.010	0.014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005	
	六価クロム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	0.05		
	砒素	29	0.64	0.38	0.45	1.1	7.6	0.20	0.47	3.9	0.38	1.2	2.2	0.12	0.28	0.58	0.093	0.46	0.90	2.1	0.60	ND	0.010	0.007	0.01	0.005	
	総水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	0.0005	0.0005	
	アルキル水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	検出されないこと	0.0005	
	PCB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	検出されないこと	0.0005	
	ジクロロメタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002	
	四塩化炭素	ND	ND	ND	ND	ND	ND	ND	0.0018	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002	
	クロロエチレン <sup>(注8)</sup>	0.0059	0.017	0.0061	0.0076	0.0052	0.0054	0.0056	0.0014	0.012	0.0052	0.0045	0.0030	0.0032	0.0032	0.0031	0.0052	0.0032	0.0025	ND	0.0026	ND	ND	ND	0.002	0.0002	
	1,2-ジクロロエタン	0.016	0.0062	0.0083	0.0097	0.0094	0.015	0.0070	0.0035	0.0083	0.012	0.0090	0.0064	0.0071	0.0069	0.0065	0.0058	0.0059	0.0053	ND	0.0046	ND	ND	ND	0.004	0.0004	
	1,1-ジクロロエチレン	0.010	0.002	0.002	0.006	0.008	0.013	0.004	0.002	0.002	0.010	0.005	0.002	ND	0.004	0.003	0.003	ND	ND	ND	0.002	ND	ND	ND	0.1 <sup>(注4)</sup>	0.002	
	1,2-ジクロロエチレン <sup>(注5)</sup>	0.082	0.046	0.034	0.027	0.029	0.037	0.020	0.011	0.021	0.033	0.021	0.014	ND	0.020	0.017	0.014	0.016	0.011	ND	0.010	ND	ND	ND	0.04	0.004	
	1,1,1-トリクロロエタン	0.029	0.010	0.010	0.017	0.030	0.049	0.014	0.0087	0.011	0.026	0.017	0.0095	ND	0.015	0.013	0.012	0.010	0.0071	ND	0.0088	ND	ND	ND	1	0.0005	
	1,1,2-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.0006	
	トリクロロエチレン	0.091	0.062	0.049	0.078	0.10	0.15	0.065	0.039	0.059	0.063	0.066	0.044	0.056	0.070	0.061	ND	0.040	0.031	ND	0.027	ND	0.001	ND	0.01 <sup>(注7)</sup>	0.001	
	テトラクロロエチレン	0.0092	0.0015	0.0028	0.0026	0.0034	0.0044	0.0017	0.0007	0.0013	0.0038	0.0023	0.0013	0.0020	0.0023	0.0018	0.0011	0.0020	0.0010	ND	0.0023	ND	ND	ND	0.01	0.0005	
	1,3-ジクロロプロパン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002	
	チウラム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	0.006	0.001	
	シマジン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	0.003	0.0003	
	チオベンカルブ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	0.02	0.002	
	ベンゼン	ND	0.008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001	ND	0.01	0.001	
	セレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	0.01	0.005	
	硝酸性窒素及び亜硝酸性窒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	10	10	
	フッ素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	0.8	0.8	
ホウ素	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.2	1.1	0.5	0.2	1	0.1		
1,4-ジオキサン	0.008	0.017	0.005	ND	0.005	0.005	ND	ND	ND	0.009	0.005	ND	0.005	0.005	0.005	0.006	0.005	0.005	ND	ND	ND	ND	ND	0.05	0.005		
その他の項目	全窒素	2	2	1	1	1	2	2	5	2	1	1	1	1	1	1	1	1	ND	ND	1	19	10	1	-	1	
	全燐	0.4	ND	ND	ND	ND	0.9	ND	ND	0.4	0.1	0.1	0.1	ND	ND	ND	1.7	0.4	0.4	0.9	ND	ND	ND	ND	-	0.1	
	塩化物イオン	46	61	49	48	47	50	33	37	70	33	32	32	34	54	52	37	62	30	19	32	21	46	6	-	1	
	電気伝導率	31	53	41	39	38	38	34	40	48	37	44	46	37	26	47	28	22	27	170	48	40	560	24	-	0.1	
	ニッケル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.05
	モリブデン	ND	0.009	ND	0.010	ND	ND	ND	ND	0.032	0.014	0.022	0.015	ND	0.012	0.012	0.012	0.016	0.010	0.011	0.013	ND	0.007	0.007	-	0.007	
アンチモン	ND	ND	ND	ND	ND	ND	0.001	0.001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	0.001		
フタル酸ジエチルヘキシル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	0.006		

(注1)単位は、pH(-)、大腸菌群数(MPN/100mL)、電気伝導度(mS/m)を除いて、mg/Lである。報告下限値未満の未満の数値は、NDと表記する。

(注2)有効数字は2桁とし、3桁目以下を切り捨て、報告下限値の桁を下回る桁については切り捨てる。なお、pHは小数点第2位以下を切り捨て、小数点以下1桁までとする。

(注3)下線は地下水の環境基準を超過しているもの。

(注4)環境省通知に基づき、環境基準を変更した。(平成21年11月調査までの環境基準値は0.02mg/Lである。)

(注5)環境省通知に基づき、シス体及びトランス体を合わせて1つの地下水環境基準項目となったため、名称を変更した。(平成22年1月調査までは、シス体のみ調査を実施した。)

(注6)環境省通知に基づき、環境基準を変更した。(平成23年10月調査までの環境基準値は0.01mg/Lである。)

(注7)環境省通知に基づき、環境基準を変更した。(平成26年11月調査までの環境基準値は0.03mg/Lである。)

(注8)環境省通知に基づき、名称を変更した。(平成29年3月調査までは塩化ビニルモノマーである。)

表2 地下水調査結果（B5地点の推移）

調査地点		B5																									地下水の環境基準	検出下限
調査年月日		H12.12.4	H13.3.6	H17.2.7	H18.2.28	H19.2.1	H20.2.13	H21.2.17	H22.2.16	H23.2.9	H23.6.14	H23.8.3	H23.11.22	H24.2.1	H24.5.16	H24.8.1	H24.11.19	H25.2.5	H25.5.22	H25.7.29	H25.11.13	H26.3.4	H26.5.13	H26.7.29	H26.11.25	H27.2.16		
一般項目	pH	6.3	6.4	6.6	7.1	6.8	6.9	6.7	7.0	6.5	6.8	6.5	6.5	6.6	6.7	6.6	6.7	6.7	6.7	6.6	6.7	6.8	6.6	6.7	6.6	6.9	-	-
	BOD	120	55	50	44	43	41	36	29	21	33	43	24	27	15	34	13	4.2	12	10	8	16	13	3.2	6.2	17	-	0.5
	COD	530	300	370	300	310	220	240	420	300	223	240	210	260	160	204	186	179	194	228	215	120	200	100	130	100	-	0.5
	大腸菌群数	3.5×10 <sup>2</sup>	2.4×10 <sup>2</sup>	ND	ND	17	ND	2.0	ND	2.0	ND	23	ND	ND	ND	ND	49	ND	2.0	790	2.0	350	1700	33	49	59	-	-
	油分	2.9	4.1	8.9	5.6	4.5	5.5	5.2	4.3	6.1	8.2	5.8	5.4	4.6	4.6	5.2	4.2	3.4	7.0	10	8.6	11	7.6	6.2	8.9	4.7	-	0.5
健康項目	カドミウム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	ND	0.0003	ND	ND	ND	ND	ND	ND	0.003 <sup>(注6)</sup>	0.0003	
	全シアン	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.1	
	有機燐	-	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1	
	鉛	0.018	0.048	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	ND	0.01	0.005
	六価クロム	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	0.05	
	砒素	0.047	0.022	ND	0.008	0.013	0.012	ND	ND	ND	ND	ND	ND	0.005	0.017	ND	0.011	0.007	ND	ND	0.006	ND	0.006	ND	ND	ND	0.01	0.005
	総水銀	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	0.0005
	アルキル水銀	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.0005
	PCB	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.0005
	ジクロロメタン	0.085	0.039	0.018	0.006	0.003	0.002	0.003	ND	0.004	0.004	ND	0.004	0.005	0.004	0.003	0.003	0.002	0.002	0.002	0.002	ND	ND	0.007	ND	ND	0.02	0.002
	四塩化炭素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002
	クロロエチレン <sup>(注8)</sup>	-	-	-	-	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002
	1,2-ジクロロエタン	0.0017	0.0014	ND	ND	ND	ND	0.0006	ND	ND	ND	ND	0.0004	0.0005	ND	ND	ND	0.0006	ND	ND	ND	ND	ND	ND	ND	ND	0.004	0.0004
	1,1-ジクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1 <sup>(注4)</sup>	0.002
	1,2-ジクロロエチレン <sup>(注5)</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04	0.004
	1,1,1-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	0.0005
	1,1,2-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0018	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.0006
	トリクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01 <sup>(注7)</sup>	0.001
	テトラクロロエチレン	0.0016	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.0005
	1,3-ジクロロプロパン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002
	チウラム	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.001
	シマジン	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.0003
	チオベンカルブ	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002
	ベンゼン	0.22	0.19	0.042	0.014	0.003	0.002	0.006	0.002	0.025	0.020	0.025	0.020	0.022	0.016	0.015	0.013	0.009	0.010	0.013	0.004	0.010	0.030	0.014	0.018	0.007	0.01	0.001
	セレン	ND	-	0.011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005
硝酸性窒素及び亜硝酸性窒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.26	1.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	10	
フッ素	ND	ND	4.2	5.0	3.6	3.0	2.0	1.3	ND	2.6	1.5	1.5	1.4	1.3	1.2	1.3	1.2	1.4	1.1	0.9	1.4	1.8	0.8	0.8	ND	0.8	0.8	
砒素	2.1	2.6	3.0	3.1	3.1	2.6	3.0	2.5	2.5	2.6	2.6	4.9	2.8	2.6	2.7	2.6	2.5	2.2	2.6	2.7	2.5	2.0	2.3	2.0	2.0	1	0.1	
1,4-ジオキサン	-	-	-	-	-	-	-	-	5.3	5.1	5.6	5.1	5.2	3.5	4.5	4.1	3.5	3.5	4.1	3.1	3.3	3.6	2.3	2.3	1.6	0.05	0.005	
その他の項目	全窒素	14	14	12	10	37	30	31	45	8	9	38	34	28	34	24	17	17	15	18	4	ND	12	3	8	3	-	1
	全燐	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1
	塩化物イオン	2,300	1,840	2,000	1,520	1,550	1,330	1,470	1,400	1,400	1,400	1,480	1,390	1,330	1,180	1,120	1,080	944	943	1,020	690	704	901	603	967	585	-	1
	電気伝導率	635	462	694	542	478	314	274	280	560	502	517	523	502	432	467	399	413	400	354	339	320	403	272	336	249	-	0.1
	ニッケル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.06	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.05
	モリブデン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	0.009	ND	ND	ND	ND	-	0.007
	アンチモン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.001
フタル酸ジエチルヘキシル	ND	0.020	ND	ND	ND	ND	0.010	0.010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.006	

(注1)単位は、pH(-)、大腸菌群数(MPN/100mL)、電気伝導度(mS/m)を除いて、mg/Lである。報告下限値未満の未満の数値は、NDと表記する。

(注2)有効数字は2桁とし、3桁目以下を切り捨て、報告下限値の桁を下回る桁については切り捨てる。なお、pHは小数点第2位以下を切り捨て、小数点以下1桁までとする。

(注3)下線は地下水の環境基準を超過しているもの。

(注4)環境省通知に基づき、環境基準を変更した。(平成21年11月調査までの環境基準値は0.02mg/Lである。)

(注5)環境省通知に基づき、シス体及びトランス体を合わせて1つの地下水環境基準項目となったため、名称を変更した。(平成22年1月調査までは、シス体のみ調査を実施した。)

(注6)環境省通知に基づき、環境基準を変更した。(平成23年10月調査までの環境基準値は0.01mg/Lである。)

(注7)環境省通知に基づき、環境基準を変更した。(平成26年11月調査までの環境基準値は0.03mg/Lである。)

(注8)環境省通知に基づき、名称を変更した。(平成29年3月調査までは塩化ビニルモノマーである。)

表2 地下水調査結果 (B5地点の推移)

調査地点		B5																						地下水の環境基準	検出下限	
調査年月日	H27.5.19	H27.7.27	H28.2.9	H28.5.24	H28.7.26	H28.11.8	H29.1.31	H29.5.23	H29.7.26	H29.11.29	H30.2.13	H30.6.26	H30.9.3	H30.10.30	H31.2.27	R1.5.21	R1.8.27	R1.11.19	R2.2.5	R2.8.5	R3.2.10	R3.8.4				
一般項目	pH	6.4	6.6	6.8	6.8	6.9	6.8	7.0	6.6	6.6	6.8	6.7	6.8	6.8	6.8	6.7	6.8	6.6	6.0	6.9	6.6	6.8	6.7	-	-	
	BOD	12	23	24	20	14	8.9	22	16	17	6	5.8	6.4	7.1	11	21	7.8	15	2.7	21	2.6	16	10	-	0.5	
	COD	110	58	65	67	69	74	92	77	60	57	61	72	64	75	66	62	62	5.6	66	43	46	33	-	0.5	
	大腸菌群数	170	ND	ND	ND	4.0	11	ND	ND	4.5	ND	ND	790	22	23	ND	ND	1700	ND	4.5	-	-	-	-	-	
	油分	5.9	3.1	4.0	5.7	4.4	4.9	5.8	3.8	4.6	2.9	1.8	3.4	3.5	5.4	3.0	4.9	3.2	3.4	3.7	ND	ND	ND	-	0.5	
健康項目	カドミウム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0009	ND	ND	ND	ND	0.003 <sup>(注6)</sup>	0.0003	
	全シアン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	検出されないこと	0.1	
	有機磷	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	0.1
	鉛	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	ND	0.01	0.005	
	六価クロム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	0.05	0.05	
	砒素	0.009	ND	ND	0.007	0.006	0.006	ND	0.008	<u>0.011</u>	0.009	<u>0.013</u>	<u>0.011</u>	0.007	0.011	0.008	0.009	<u>0.014</u>	<u>0.042</u>	0.008	0.007	<u>0.023</u>	0.008	0.01	0.005	
	総水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	0.0005	0.0005
	アルキル水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	検出されないこと	0.0005
	PCB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	検出されないこと	0.0005
	ジクロロメタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.035	ND	ND	ND	ND	0.02	0.002
	四塩化炭素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002
	クロロエチレン <sup>(注8)</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	0.002	0.0002	
	1,2-ジクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0018	ND	ND	ND	ND	ND	ND	ND	ND	0.0004	ND	0.004	0.0004	
	1,1-ジクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1 <sup>(注4)</sup>	0.002	
	1,2-ジクロロエチレン <sup>(注5)</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04	0.004	
	1,1,1-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	0.0005	
	1,1,2-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.0006	
	トリクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	<u>0.013</u>	ND	ND	ND	ND	ND	ND	ND	0.01 <sup>(注7)</sup>	0.001	
	テトラクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.0005	
	1,3-ジクロロプロパン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002	
	チウラム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	0.006	0.001
	シマジン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	0.003	0.0003
	チオベンソルブ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	0.02	0.002
	ベンゼン	<u>0.014</u>	0.006	0.007	0.008	0.008	0.008	0.005	0.006	0.008	0.006	0.003	0.004	0.004	0.002	ND	0.003	0.006	0.004	0.003	0.003	0.003	0.002	0.001	0.01	0.001
	セレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	0.01	0.005
	硝酸性窒素及び亜硝酸性窒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	10	10
	フッ素	ND	ND	ND	ND	ND	ND	ND	0.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	0.8	0.8
トリ素	<u>1.9</u>	<u>1.2</u>	<u>1.5</u>	<u>1.7</u>	<u>1.6</u>	<u>1.7</u>	<u>1.8</u>	<u>1.7</u>	<u>1.6</u>	<u>1.7</u>	<u>1.6</u>	<u>1.5</u>	<u>1.4</u>	<u>1.5</u>	<u>1.6</u>	<u>1.6</u>	<u>1.6</u>	<u>1.6</u>	<u>1.6</u>	<u>1.7</u>	<u>1.9</u>	<u>1.7</u>	<u>1.5</u>	1	0.1	
1,4-ジオキサン	<u>2.4</u>	<u>0.85</u>	<u>1.0</u>	<u>1.2</u>	<u>1.5</u>	<u>1.4</u>	<u>1.1</u>	<u>1.3</u>	<u>2.3</u>	<u>1.4</u>	<u>0.84</u>	<u>1.1</u>	<u>0.96</u>	<u>1.3</u>	<u>0.80</u>	<u>0.41</u>	<u>0.86</u>	<u>0.88</u>	<u>0.94</u>	<u>0.82</u>	<u>0.95</u>	<u>0.67</u>	0.05	0.005		
その他の項目	全窒素	3	5	4	3	4	4	3	4	3	3	3	2	3	3	3	4	5	3	3	3	3	3	-	1	
	全磷	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1	
	塩化物イオン	773	330	390	447	430	425	457	460	340	350	340	340	300	370	350	370	270	330	290	320	360	310	-	1	
	電気伝導率	264	195	197	194	183	210	203	190	170	201	180	140	140	180	170	170	82	330	83	130	1600	160	-	0.1	
	ニッケル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.05
	モリブデン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.007
アンチモン	0.002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	0.001	
フタル酸ジエチルヘキシル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	0.006	

(注1)単位は、pH(-)、大腸菌群数(MPN/100mL)、電気伝導度(mS/m)を除いて、mg/Lである。報告下限値未満の未満の数値は、NDと表記する。

(注2)有効数字は2桁とし、3桁目以下を切り捨て、報告下限値の桁を下回る桁については切り捨てる。なお、pHは小数点第2位以下を切り捨て、小数点以下1桁までとする。

(注3)下線は地下水の環境基準を超過しているもの。

(注4)環境省通知に基づき、環境基準を変更した。(平成21年11月調査までの環境基準値は0.02mg/Lである。)

(注5)環境省通知に基づき、シス体及びトランス体を合わせて1つの地下水環境基準項目となったため、名称を変更した。(平成22年1月調査までは、シス体のみ調査を実施した。)

(注6)環境省通知に基づき、環境基準を変更した。(平成23年10月調査までの環境基準値は0.01mg/Lである。)

(注7)環境省通知に基づき、環境基準を変更した。(平成26年11月調査までの環境基準値は0.03mg/Lである。)

(注8)環境省通知に基づき、名称を変更した。(平成29年3月調査までは塩化ビニルモノマーである。)

表3 地下水調査結果（F1西地点の推移）

調査地点		F1西																									地下水の環境基準	検出下限	
調査年月日	H15.2.6	H16.2.5	H17.2.7	H18.2.28	H19.2.1	H20.2.13	H21.2.17	H22.2.16	H23.2.9	H23.6.14	H23.8.3	H23.11.22	H24.2.1	H24.5.16	H24.8.1	H24.11.19	H25.2.5	H25.5.22	H25.7.22	H25.11.13	H26.2.17	H26.5.13	H26.7.22	H26.11.25	H27.2.16				
一般項目	pH	7.0	7.0	7.0	6.9	7.3	6.9	7.2	7.7	6.8	6.9	6.9	7.2	6.9	6.8	6.8	7.1	7.1	6.7	6.7	7.1	6.9	7.1	6.7	6.7	6.7	-	-	
	BOD	3.9	6.6	1.0	2.7	0.5	1.6	1.7	1.1	0.9	ND	ND	0.7	0.6	ND	ND	ND	2.1	1.7	0.5	0.6	ND	ND	ND	0.6	1.3	-	0.5	
	COD	5.4	7.9	1.7	2.4	2.4	2.7	2.3	0.9	1.8	2.8	1.9	1.9	1.9	2.0	3.0	2.2	0.9	7.8	6.1	1.7	5.0	2.6	8.0	10	5.8	-	0.5	
	大腸菌群数	22	4.5	2.0	22	33	3.7	7.8	2.0	ND	13	22	540	7.8	11	11	70	ND	69	33	ND	7.8	ND	ND	7.8	ND	-	-	
	油分	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.5	ND	ND	0.5	ND	-	0.5	
健康項目	カドミウム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0004	ND	ND	ND	0.003 <sup>(注6)</sup>	0.0003		
	全シアン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.1	
	有機磷	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1	
	鉛	0.024	ND	0.007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005	
	六価クロム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	0.05	
	砒素	0.016	0.016	ND	0.013	ND	0.010	ND	0.008	ND	ND	ND	ND	ND	0.007	0.012	0.008	ND	ND	0.008	ND	0.016	0.009	0.019	0.011	0.011	0.01	0.005	
	総水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	0.0005	
	アルキル水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.0005	
	PCB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.0005
	ジクロロメタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002	
	四塩化炭素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002	
	クロロエチレン <sup>(注8)</sup>	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	1,2-ジクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.004	0.0004	
	1,1-ジクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1 <sup>(注4)</sup>	0.002	
	1,2-ジクロロエチレン <sup>(注5)</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.011	0.04	0.004
	1,1,1-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	0.0005	
	1,1,2-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.0006	
	トリクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01 <sup>(注7)</sup>	0.001	
	テトラクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.0005	
	1,3-ジクロロプロパン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002	
	チウラム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.001	
	シマジン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.0003	
	チオベンカルブ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002	
	ベンゼン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.010	ND	ND	ND	0.001	ND	0.010	0.012	0.007	0.006	0.012	0.01	0.001	
	セレン	ND	ND	0.010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005	
	硝酸性窒素及び亜硝酸性窒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	10	
	フッ素	ND	ND	ND	0.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.8	0.8	
ホウ素	0.6	0.6	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.5	0.5	0.9	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.5	0.3	0.4	0.5	0.3	0.5	1	0.1		
1,4-ジオキサン	—	—	—	—	—	—	—	—	—	ND	0.008	ND	ND	0.006	ND	0.010	0.010	0.010	0.020	0.023	ND	0.017	0.027	0.045	0.025	0.026	0.05	0.005	
その他の項目	全窒素	1	4	ND	ND	1	ND	ND	ND	ND	ND	1.6	1.2	1.2	4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	1	
	全磷	ND	ND	ND	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1	
	塩化物イオン	230	230	220	216	223	274	241	250	270	360	248	252	285	331	342	328	338	436	426	280	314	309	539	456	522	-	1	
	電気伝導率	98.6	94	94.6	90	83.7	53.4	47.3	49	110	136	102	109	115	130	133	118	133	168	176	100	127	117	207	174	193	-	0.1	
	ニッケル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.05
	モリブデン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.007
	アンチモン	ND	0.001	0.001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.001
フタル酸ジエチルヘキシル	ND	ND	0.033	0.030	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.006	

(注1)単位は、pH(-)、大腸菌群数(MPN/100mL)、電気伝導度(mS/m)を除いて、mg/Lである。報告下限値未満の未満の数値は、NDと表記する。

(注2)有効数字は2桁とし、3桁目以下を切り捨て、報告下限値の桁を下回る桁については切り捨てる。なお、pHは小数点第2位以下を切り捨て、小数点以下1桁までとする。

(注3)下線は地下水の環境基準を超過しているもの。

(注4)環境省通知に基づき、環境基準を変更した。(平成21年11月調査までの環境基準値は0.02mg/Lである。)

(注5)環境省通知に基づき、シス体及びトランス体を合わせて1つの地下水環境基準項目となったため、名称を変更した。(平成22年1月調査までは、シス体のみ調査を実施した。)

(注6)環境省通知に基づき、環境基準を変更した。(平成23年10月調査までの環境基準値は0.01mg/Lである。)

(注7)環境省通知に基づき、環境基準を変更した。(平成26年11月調査までの環境基準値は0.03mg/Lである。)

(注8)環境省通知に基づき、名称を変更した。(平成29年3月調査までは塩化ビニルモノマーである。)

表3 地下水調査結果 (F1西地点の推移)

調査地点		F1西																						地下水の環境基準	検出下限		
調査年月日		H27.5.19	H27.7.27	H27.11.24	H28.2.9	H28.5.24	H28.7.26	H28.11.8	H29.1.31	H29.5.23	H29.7.26	H29.11.29	H30.2.13	H30.6.26	H30.9.3	H30.10.30	H31.3.13	R1.5.21	R1.9.3	R1.11.19	R2.2.18	R2.8.5	R3.2.10	R3.8.4			
一般項目	pH	6.4	6.7	6.8	6.8	6.7	6.6	6.7	6.9	6.7	6.6	6.8	6.8	6.7	6.6	6.9	6.9	6.7	6.5	7.0	7.0	6.8	7.0	6.7	-	-	
	BOD	ND	0.7	ND	1.3	0.8	0.8	1.4	1.8	4.9	7.7	3.6	6.4	4.2	4.9	3.9	4.5	4.7	5.2	8.3	2.8	3.5	4.8	8.2	-	0.5	
	COD	6.9	6.4	7.2	6.5	7.4	6.3	7.4	7.7	8.8	7.2	6.0	8.5	8.2	7.1	5.8	7.8	9.2	9.2	15	10	9.3	12	21	-	0.5	
	大腸菌群数	ND	2.0	7.8	2.0	13	79	ND	ND	ND	ND	ND	ND	490	4.5	ND	ND	79	490	49	ND	-	-	-	-	1	
	油分	ND	ND	1.2	ND	0.7	ND	0.9	ND	1.5	ND	ND	ND	ND	0.6	ND	0.5	0.5	ND	ND	0.7	ND	ND	ND	-	0.5	
	カドミウム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003 <sup>(注6)</sup>	0.0003
健康項目	全シアン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	検出されないこと	0.1	
	有機リン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	0.1	
	鉛	ND	ND	ND	ND	0.012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005	
	六価クロム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	0.05	0.05	
	砒素	0.020	0.024	0.030	0.039	0.038	0.030	0.033	0.045	0.048	0.040	0.034	0.046	0.043	0.036	0.034	0.052	0.054	0.049	0.065	0.049	0.041	0.053	0.054	0.01	0.005	
	総水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	0.0005	0.0005
	アルキル水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	検出されないこと	0.0005
	PCB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	検出されないこと	0.0005
	ジクロロメタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002
	四塩化炭素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002
	クロロエチレン <sup>(注8)</sup>	0.0005	ND	ND	0.0006	ND	ND	ND	0.0002	0.0002	0.0002	ND	ND	ND	ND	ND	ND	ND	0.0002	ND	ND	0.0002	0.0011	0.0057	0.002	0.0002	
	1,2-ジクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.004	0.0004
	1,1-ジクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1 <sup>(注4)</sup>	0.002
	1,2-ジクロロエチレン <sup>(注5)</sup>	0.019	ND	ND	0.012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04	0.004
	1,1,1-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	0.0005
	1,1,2-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.0006
	トリクロロエチレン	0.021	0.002	ND	0.009	ND	0.003	ND	0.003	0.001	0.001	ND	0.003	ND	0.002	0.002	ND	ND	ND	ND	0.001	ND	0.001	0.001	0.01 <sup>(注7)</sup>	0.001	
	テトラクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.0005
	1,3-ジクロロプロパン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002
	チウラム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	0.006	0.001
	シマジン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	0.003	0.0003
	チオベンカルブ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	0.02	0.002
	ベンゼン	0.015	0.001	0.001	0.012	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001	0.001	ND	ND	ND	ND	ND	ND	ND	ND	0.001	0.01	0.001
	セレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	0.01	0.005
	硝酸性窒素及び亜硝酸性窒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	10	10
	フッ素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	0.8	0.8
ホウ素	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.4	0.4	0.5	0.4	0.4	0.7	0.8	0.9	1.2	1.2	1.6	1.6	1.8	1	0.1		
1,4-ジオキサン	0.039	0.027	0.025	0.019	0.029	0.026	0.033	0.028	0.034	0.053	0.023	0.025	0.035	0.026	0.038	0.026	0.028	0.028	0.024	0.022	0.020	0.032	0.058	0.05	0.005		
その他の項目	全窒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	1	1	2	2	2	5	-	1	
	全リン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1	ND	0.1	0.1	ND	0.1	ND	-	0.1	
	塩化物イオン	545	554	539	496	555	498	588	584	660	540	440	540	530	480	420	450	480	440	420	470	450	560	1200	-	1	
	電気伝導率	197	204	202	191	205	181	220	208	200	194	188	198	190	95	170	140	81	86	170	93	160	1900	290	-	0.1	
	ニッケル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.05
	モリブデン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.007
アンチモン	ND	0.001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	0.001	
フタル酸ジエチルヘキシル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	0.006	

(注1)単位は、pH(-)、大腸菌群数(MPN/100mL)、電気伝導度(mS/m)を除いて、mg/Lである。報告下限値未満の未満の数値は、NDと表記する。

(注2)有効数字は2桁とし、3桁目以下を切り捨て、報告下限値の桁を下回る桁については切り捨てる。なお、pHは小数点第2位以下を切り捨て、小数点以下1桁までとする。

(注3)下線は地下水の環境基準を超過しているもの。

(注4)環境省通知に基づき、環境基準を変更した。(平成21年11月調査までの環境基準値は0.02mg/Lである。)

(注5)環境省通知に基づき、シス体及びトランス体を合わせて1つの地下水環境基準項目となったため、名称を変更した。(平成22年1月調査までは、シス体のみ調査を実施した。)

(注6)環境省通知に基づき、環境基準を変更した。(平成23年10月調査までの環境基準値は0.01mg/Lである。)

(注7)環境省通知に基づき、環境基準を変更した。(平成26年11月調査までの環境基準値は0.03mg/Lである。)

(注8)環境省通知に基づき、名称を変更した。(平成29年3月調査までは塩化ビニルモノマーである。)