豊島における環境計測(高度排水処理施設、北揚水井及び西揚水井)結果について

高度排水処理施設の環境計測は、高度排水処理施設の運転期間中に地下水・浸出水の処理を行うことによる環境面を把握することを目的としている。なお、高度排水処理施設は、北揚水井と西揚水井からの揚水を原水として、地下水・浸出水の浄化を行っている。

今回、平成27年11月に実施した高度排水処理施設の処理水及び高度排水処理施設の原水である北揚水井、西揚水井の水質調査結果についてとりまとめた。

1. 調査の概要

(1)調査日

平成 27 年 11 月 25 日 (水)

(2)調查地点(調查地点図参照)

高度排水処理施設の排出口

高度排水処理施設の原水流入槽(北揚水井)

西揚水井

(3) 検体採取機関及び分析機関

採取機関:県直島環境センター

分析機関:県直島環境センター、県環境保健研究センター

2. 結果の概要

・高度排水処理施設(表1)、北揚水井(表2)、西揚水井(表3) 高度排水処理施設において処理した処理水は、全ての項目において管理基準を満足 していた。

表1 豊島における環境計測結果(高度排水処理施設)

	T	高度排水処理施設																				
	W+#0	ļ.,	平成15年	nte		T-brotes	der .	平成17年度			平成18年度	南及排力 平成19年度		TE -bos to the	Ti -boote de	Ti-boots dr	TE -bo s to other	TT -b o = t= rte	TT -boote rie	平成27年度	Andre were state state (-t-	10 ULT 10
	検査項目					区成16年月	_						平成20年度	平成21年度	平成22年度	平成23年度	平成24年度	平成25年度	平成26年度		管理基準値	検出下限
	水素イオン濃度 (pH)	最小	最大 7.2	平均 6.8	最小 7.0	最大 7.1	平均 7.1	最小 6.6	最大 7.1	平均	H18. 10. 12 6. 7	H19. 10. 25 6. 6	H20. 10. 21	H21. 10. 27 7. 0	H22. 10. 20	H23. 10. 20	H24. 11. 1 6. 8	H25. 11. 18 6. 9	H26. 11. 16 7. 2	H27. 11. 25 7. 2	5.0~9.0	_
			3, 6							0, 9			6. 4	ND	6. 8 ND	6. 7		0.7			5.0~9.0 30 (日間平均20)	0, 5
	生物化学的酸素要求量 (BOD) 化学的酸素要求量 (COD)	3. 0	13	3. 4 9. 2	1.3	3. 1	2.4	0.5 2.4	1.6 7.8	4. 9	0.6	1.0	0.5 4.0		4, 6	0.8	0.8 4.0		2.7	1. 4	30 (日間平均20)	0.5
		4. 7				-	4. 4					12		12				4. 2				
	浮遊物質(SS) 大腸菌群数	ND	1	1	ND	ND	ND	ND	ND	ND	1	ND	ND	ND	1	ND	2	ND	ND	1	50 (日間平均40)	1
生		0	24	8	0	2	1	0	28	8	0	0	0	0	2	0	0	0	0	23	(日間平均3000)	
活	油分(ノルマルヘキサン抽出物質含有量)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	35	0.5
環境	フェノール類含有量 銅含有量	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5	0.02
項		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3	0. 3
目	亜鉛含有量	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2	0. 5
	溶解性鉄含有量	ND	ND	ND	ND	0.13	0.07	ND	ND	ND	ND	ND	ND	ND	0.11	ND	ND	ND	ND	ND	10	0.05
	溶解性マンガン含有量	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	0. 4
	クロム含有量	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2	0. 2
	空素含有量	6. 7	45	23	4	20	10	2	22	13	3	33	17	18	36	27	7.7	ND	18	6	120 (日間平均60)	1
	燐含有量	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	16 (日間平均8)	0. 1
	カドミウム及びその化合物	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.03	0.01
	シアン化合物	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	0. 1
	鉛及びその化合物	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1	0.01
	有機燐化合物	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	0. 1
	六価クロム及びその化合物	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.5	0.05
	砒素及びその化合物	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1	0.01
	水銀及びアルキル水銀 その他の水銀化合物	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	0.0005
	アルキル水銀化合物	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.0005
	PCB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.0005
	トリクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.3	0.03
	テトラクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1	0.01
	ジクロロメタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.2	0.02
健	四塩化炭素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002
康	1,2-ジクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04	0.004
項	1, 1-ジクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	0.02
目	シスー1,2ージクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.4	0.04
	1, 1, 1-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3	0.3
	1, 1, 2-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.06	0.006
	1, 3-ジクロロプロペン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002
	チウラム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.06	0.006
1	シマジン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.03	0.003
1	チオベンカルブ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.2	0.02
	ベンゼン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1	0.01
1	セレン及びその化合物	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1	0.01
	ほう素及びその化合物	7.4	15	11	10	18	15	10	15	13	6. 3	12	8.8	11	10	9.3	4.9	4.0	8.9	6. 2	230	0. 1
	ふっ素及びその化合物	0.8	1.0	0.9	ND	ND	ND	ND	1.1	0.9	ND	1.0	ND	0.9	0.8	ND	ND	ND	ND	ND	15	0.8
	アンモニア、アンモニウム化合物、亜硝酸化合物 及び硝酸化合物	ND	41.0	17	ND	18.0	12.0	11.0	20.0	14. 0	ND	24.0	17.0	10.0	21.0	26. 0	ND	ND	ND	ND	100	10
	1.4ジオキサン																ND	ND	ND	0.05	0.5	0.05
	ニッケル	ND	0.05	0.05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1	0.05
そ	モリブデン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.07
0	全マンガン	_	_	_	_	-	-	-	_	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.4
他	ウラン	-	_	_	_	-	-	-	_	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.0001
	ダイオキシン類	0	0.014	0.0047				0.00062	9.1	2.3	0.00013	0.00060	0.00035	0.00037	0	0.00081	0.0026	0	0	0	10	-
(3)	1) 単位は、pH(-)、大腸菌類	畔粉 (個	(cm3)	ガイオ	キミハン糸	fi (na-T	EU/0) 3	た除いて	mcr/0	でなる												

(注1)単位は、pH(-)、大腸菌群数(個/cm²)、ダイオキシン類 (pg-TEQ/ℓ) を除いて、mg/ℓである。

(注2)ND:検出せず

平成15年度: H15.7.22、H15.10.16、H16.2.5実施

平成16年度: H16.5.17、H16.7.5、H16.10.4、H17.1.25実施 平成17年度: H17.5.10、H17.7.12、H17.10.4、H18.1.12実施

表2 豊島における環境計測結果(北揚水井)

検索性 一様では では では では では では では では															北海岸浸出	水											
機能性が振った できょう できょう できょう できょう できょう できょう できょう できょう		絵本項目												ģ:		平成97年度		管理基準値	検出下限								
March Configuration March Configuration		IXE.XI		_					_			1										-	H27, 5, 19		H27, 11, 25	(参考)	大田工政
Part		水素イオン濃度 (nH)																								5.0~9.0	-
Part							_					l										_				1	0.5
Part									_			1			1					_	_	_	-			+	
March Marc																				_	_	_				+	
# Part							-		-			-									_				1	4	
## 125-16 1.5	生						_															_					
## 報告報告 10 10 10 10 10 10 10 10 10 10 10 10 10						_	_		_												_						
## Management							_		_			!															
新田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田												1			1			1								1	+
Page	Ħ					+	-													_	_	_				1	
日本語画像							_																				
### 報告任任 150 150 150 150 150 150 150 150 150 150							_					l														1	
受ける						_	_	-												_	_	_				+	0.2
P P P P P P P P P P							-		-			-										_					0.1
Part Purple 10 10 10 10 10 10 10 1	\vdash					_	_		_													_				+	
Registry																											
### Minimary 1.00mm 1.00						_	_		_																	+	
### READLY-ForColor						_	_	-	_			!														1	
### 最近な子の任命性 30 0.412 0.912 ND 6.912 0.911 ND 6.92 0.912 ND 6.92 0.92 0.92 0.92 0.93 ND ND ND ND ND ND 0.90 0.90 0.91 0.912 0.92 0.92 0.93 ND							-	-	_			-										_			-	1	
### PAPE A PAPE						+														_	_	_				1	
その他の本銀化合物					†				1														 			·	1
PEB		その他の水銀化合物	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	0.0005
Page 10 1 Page 10 1 Page 10 Page		アルキル水銀化合物	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0.0005
## 「		PCB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.0005
度確に使素 30 ND		トリクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.3	0.03
確認地帯		テトラクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1	0.01
Reg 1-2-ジャロコェチャン ND ND ND ND ND ND ND N		ジクロロメタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.2	0.02
審 12-ジョロコェチレン ND	<i>t</i> ++	四塩化炭素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002
項 [1・ジタロロエチレン ND		1,2-ジクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	ND	ND	ND	ND	0.04	0.004
1.1.1-ドリクロロエタシ ND		1, 1-ジクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	0.02
1.1.2~トリクロロエタン ND	目	シスー1,2ージクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.4	0.04
1.3-ジクロロプロペン ND ND ND ND ND ND ND N		1, 1, 1-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3	0.3
チウラム ND <th< td=""><td></td><td>1, 1, 2-トリクロロエタン</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>0.06</td><td>0.006</td></th<>		1, 1, 2-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.06	0.006
マジン ND		1,3-ジクロロプロペン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002
手オペンカルブ ND		チウラム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.06	0.006
ペンゼン 0.19 1.3 0.75 0.13 0.66 0.34 0.08 1.4 0.49 0.14 0.99 0.73 0.42 0.67 ND 0.89 0.02 0.02 0.02 0.07 0.14 0.09 0.26 0.08 0.1 0.01 セレン及びその化合物 ND		シマジン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.03	0.003
セレン及びその化合物 ND		チオベンカルブ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.2	0.02
ほう薄及びその化合物 16 22 19 13 21 16 12 23 15 10 22 17 17 16 10 9.4 3.8 4.4 12 8.7 5.8 10 10 230 0.1 5.		ベンゼン	0.19	1.3	0.75	0.13	0.66	0.34	0.08	1.4	0.49	0.14	0.99	0.73	0.49	0.67	ND	0.89	0.02	0.02	0.27	0.14	0.09	0.26	0.08	0.1	0.01
ぶっ沸及びその化合物 0.9 1.0 1.0 ND 2.3 1.2 0.9 1.3 1.0 1.1 1.1 ND 1.0 0.9 ND N		セレン及びその化合物	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1	0.01
ではていても分析と含物、亜硝酸化合物 近く可酸化合物、亜硝酸化合物 はジオキサン		ほう素及びその化合物	16	22	19	13	21	16	12	23	15	10	22	17	17	16	10	9.4	3.8	4.4	12	8.7	5. 8	10	10	230	0.1
及び解除化合物 40 57 49 40 55 44 30 68 44 71 85 99 110 140 ND 23 ND ND 20 15 ND 19 ND 100 10 10 1.4ジオキシ		ふっ素及びその化合物	0.9	1.0	1.0	ND	2.3	1.2	0.9	1.3	1.0	1.1	1.1	ND	1.0	0.9	ND	ND	ND	15	0.8						
Complex Current			40	57	49	40	55	44	30	68	44	71	85	99	110	140	ND	23	ND	ND	20	15	ND	19	ND	100	10
ニッケル 0.01 0.17 0.09 0.06 0.30 0.17 0.05 0.05 ND ND<			10	, , ,	17	100	رٽ ا	77	<u> </u>	00	11	<u> </u>	- 00		111	110	110		ļ	MD	20	10	140	10			
モリブデン ND ND ND ND ND 0.10 0.08 ND ND ND ND 0.10 0.08 ND																		0.07	ND	0.11	0.46	0.29	0.23	0.32	0.28	0.5	0.05
マンガン				0.17	0.09	0.06	0.30	0.17	0.06	0.08	0.07		0.06							ND			ND				0.05
他 ウラン 0.0008 0.0008 0.0008 0.0012 0.0008 0.0006 0.0003 0.0017 0.0013 0.0013 0.0025 - 0.0008	そ	モリブデン	ND	ND	ND	ND	0.10	0.08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.07	ND	ND	ND	ND	ND	ND	-	0.07
977 0.0008 0.0					-						-	0.6	0.8	0.7	0.6	0.5	0.7	0.7	ND	0.6	0.6		-	-	-	-	
ダイオキシン類 0.7 1.9 1.3 0.29 1.8 1.0 0.58 2.8 1.4 1.4 0.25 0.068 0.058 0.63 23 0.57 4.7 3.0 6.6 4.3 16 3.0 44 10 -	1世		_	-	-		-	-	-		-	0.0008	0.0008	0.0008	0.0012	0.0008	0.0006	0.0003	0.0017	0.0013	0.0013	0.0013	-	-	0.0025	-	0.0001
(注1)単位は、pH(-)、大腸菌群数(個/cm')、ダイオキシン類 (pg-TE0/0) を除いて、mg/0である。													0.25	0.068	0.058	0.63	23	0.57	4.7	3.0	6.6	4.3	<u>16</u>	3.0	44	10	-

(注1)単位は、pH(-)、大腸菌群数(個/cm³)、ダイオキシン類 (pg-TEQ/0) を除いて、mg/0である。

(注2)ND:検出せず

平成13年度: H13.7.11、H14.2.1実施 平成14年度: H14.10.21、H15.3.24実施 平成15年度: H15.10.16、H16.2.5実施

平成16年度: H16. 5. 17、H16. 7. 5、H16. 10. 4、H17. 1. 25実施 平成17年度: H17. 5. 10、H17. 7. 12、H17. 10. 4、H18. 1. 12実施 平成26年度: H26. 5. 13、H26. 7. 29、H26. 10. 16、H27. 2. 16実施

表3 豊島における環境計測結果 (西揚水井)

														西海岸浸出	L 水										Auto-100 Auto 307, 6.6.	
	検査項目	Σ	区成15年月	g	2	平成16年度			平成17年	度	平成18年度	平成19年度	平成20年度	20年度 平成21年度 平成22年度 平成23年			度 平成24年度 平成25年度		2	区成26年月	ģ	平成27年度			管理基準値 (参考)	検出下限
		最小	最大	平均	最小	最大	平均	最小	最大	平均	H18. 10. 12	H19. 10. 25	H20. 10. 21	H21.11.27	H22. 10. 20	H23. 10. 20	H24. 11. 1	H25. 11. 18	最小	最大	平均	H27. 5. 19	H27. 7. 27	H27. 11. 25	(参与)	
	水素イオン濃度 (pH)	7.1	7.2	7.1	6.7	7.3	6. 9	6.9	7.2	7.0	6.7	6.8	6. 9	7.1	6.7	6.6	7. 2	6.8	6.8	8.9	7.4	6.6	6. 9	7.0	5.0~9.0	=
	生物化学的酸素要求量 (BOD)	10	51	26	5.7	9.3	7.7	7.3	15	13	8. 2	1.7	0.9	3. 9	0.8	1.3	3. 5	0.8	ND	0.8	ND	ND	0.9	ND	30 (日間平均20)	0.5
	化学的酸素要求量 (COD)	42	68	56	20	71	39	35	82	63	77	25	21	35	21	19	34	32	5.3	16	8.9	5. 9	5. 6	4.5	30 (日間平均20)	0.5
	浮遊物質(SS)	6	35	19	2	16	8	5	37	25	31	17	13	4	5	26	18	4	ND	3	2	2	1	4	50 (日間平均40)	1
	大腸菌群数	0	27	9	0	0	0	0	38	11	13	0	4	2	0	2	0	0	0	0	0	1	5	2	(日間平均3000)	-
生活	油分(ノルマルヘキサン抽出物質含有量)	1.0	2.5	1.8	1.1	5. 2	2.6	0.9	2.4	1.6	0.7	0.9	0.7	0.9	1.0	1.1	1. 2	1.9	ND	ND	ND	ND	ND	1.2	35	0.5
環	フェノール類含有量	ND	ND	ND	ND	ND	ND	ND	0.71	0.03	0.06	0.06	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5	0.02
境	銅含有量	ND	ND	ND	ND	0.66	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3	0.3
項目	亜鉛含有量	ND	ND	ND	ND	1.8	0.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2	0.5
П п	溶解性鉄含有量	0.05	20	8.0	ND	0.8	0.3	0.08	15	4. 1	ND	0.75	ND	1.2	0.67	ND	0.15	5. 4	ND	1.1	0.22	0.06	0.40	0. 22	10	0.05
	溶解性マンガン含有量	3. 6	12.0	6.9	0.6	4.7	3. 1	3. 1	9.4	5. 5	2.1	4.0	2.7	3.4	2. 2	2.0	2. 4	0.9	1.0	2.7	1.9	3.0	ND	ND	10	0.4
	クロム含有量	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2	0.2
	窒素含有量	37	52	43	14	52	28	24	55	41	43	13	13	15	8	8	5	17	2	5	4	4	3	3	120 (日間平均60)	1
	燐含有量	ND	0.1	0.1	ND	ND	ND	ND	0.3	0.2	0.2	ND	ND	ND	ND	ND	0.1	ND	ND	ND	ND	ND	ND	ND	16 (日間平均8)	0.1
	カドミウム及びその化合物	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.03	0.01
	シアン化合物	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	0.1
	鉛及びその化合物	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1	0.01
	有機燐化合物	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	0.1
	六価クロム及びその化合物	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.5	0.05
	砒素及びその化合物	ND	ND	ND	ND	ND	ND	ND	0, 02	0, 01	0.02	0.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1	0. 01
	水銀及びアルキル水銀 その他の水銀化合物	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	0.0005
	アルキル水銀化合物	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと	0,0005
	PCB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.0005
	トリクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.3	0.03
	テトラクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0, 1	0, 01
	ジクロロメタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0, 2	0, 02
/sts	四塩化炭素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0, 02	0,002
健康	1.2-ジクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04	0,004
項	1.1-ジクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	0.02
目	シスー1, 2ージクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.4	0.04
	1, 1, 1-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3	0.3
	1, 1, 2-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.06	0,006
	1,3-ジクロロプロペン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0, 02	0,002
	チウラム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.06	0.006
	シマジン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.03	0.003
	チオベンカルブ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0. 2	0.02
	ベンゼン	0, 01	0.04	0.02	ND	0.01	0.01	0.02	0.05	0, 04	0, 04	ND	ND	ND	ND	ND	0.02	ND	ND	ND	ND	ND	ND	ND	0.1	0. 01
	セレン及びその化合物	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0, 1	0, 01
	ほう素及びその化合物	3, 6	5, 6	4. 9	1.7	8, 0	4, 0	3, 4	6, 5	5, 3	5, 0	2. 3	2. 1	2. 6	1.6	1.6	3, 5	1. 8	0.7	1. 1	0, 9	0.7	0. 7	0.5	230	0.1
	ふっ素及びその化合物	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	15	0.8
	アンモニア、アンモニウム化合物、亜硝酸化合物 及び硝酸化合物		22. 0	16. 3	ND	20.0	13. 0	8.8	21.0	14. 7	40.0	12. 0	10.0	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	100	10
	及び射酸化合物 1.4ジオキサン							\vdash		\vdash		 				 	0.12	0. 07	ND	ND	ND	ND	ND	ND	0.5	0.05
\vdash	ニッケル	0, 01	0, 06	0, 04	ND	0. 12	0, 07	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.07	ND	ND	ND	ND	ND	ND	0. 1	0, 05
1_	モリブデン	ND	0.12	0.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.03
その	全マンガン	- 100	- 0.12	0.055	- 140	-	-	-	- 100	- ND	4. 1	4. 0	2. 7	4, 0	1. 8	2. 1	2. 8	0, 8	1. 1	1. 1	1. 1	- 14D	- 100	- ND	_	0. 4
他	ウラン	-		_	_	_			_	_	0,0046	0,0013	0,0016	0, 0028	0.0012	0.0024	0,0016	0. 8	0,0007	0,0007	0,0007	_	_	0,0008	_	0.4
	ダイオキシン類	0.19	1. 1	0. 67	0. 24	1.8	1.0	0.17	1. 4	0.52	0.0046	0.0013	0.0016	0.0028	0. 0012	0.0024	0.0016	0,0033	0.0007	1.4	0.0007	0, 015	0, 48	0.0008	10	0.0001
(3))単位は、pH(-)、大腸菌類									0.52 0である		0. 32	0.013	0.11	0.11	0.20	0.040	0.0033	0.010	1.4	0.00	0.010	0.40	0.0047	10	

(注1)単位は、pH(-)、大腸菌群数(個/cm³)、ダイオキシン類 (pg-TEQ/ℓ) を除いて、mg/ℓである。

(注2)ND:検出せず

(注3)下線は管理基準を超過しているもの。

平成15年度: H15.6.23、H15.10.16、H16.2.5実施

平成16年度: H16.5.17、H16.7.5、H16.10.4、H17.1.25実施 平成17年度: H17.5.10、H17.7.12、H17.10.4、H18.1.12実施 平成26年度: H26.5.13、H26.7.29、H26.10.16、H27.2.16実施

